

Paraconsistent Reasoning and Preferential Entailments by Signed Quantified Boolean Formulae

OFER ARIELI

The Academic College of Tel-Aviv, Israel.

We introduce a uniform approach of representing a variety of paraconsistent non-monotonic formalisms by quantified Boolean formulae (QBFs) in the context of multiple-valued logics. We show that this framework provides a useful platform for capturing, in a simple and natural way, a wide range of methods for preferential reasoning. The outcome is a subtle approach to *represent* the underlying formalisms, which induces a straightforward way to *compute* the corresponding entailments: by incorporating off-the-shelf QBF solvers it is possible to simulate within our framework various kinds of preferential formalisms, among which are Priest's logic LPM of reasoning with minimal inconsistency, Batens' adaptive logic ACLuNs2, Besnard and Schaub's inference relation \models_n , a variety of formula-preferential systems, some bilattice-based preferential relations (e.g., $\models_{\mathcal{I}_1}$ and $\models_{\mathcal{I}_2}$), and consequence relations for reasoning with graded uncertainty (such as the four-valued logic \models_c^4).

Categories and Subject Descriptors: I.2.3 [**Artificial Intelligence**]: Deduction and Theorem Proving—*nonmonotonic reasoning*; I.2.4 [**Artificial Intelligence**]: Knowledge Representation Formalisms and Methods; F.4.1 [**Mathematical Logic and Formal Languages**]: Mathematical Logic—*computational logic*

General Terms: Theory

Additional Key Words and Phrases: Paraconsistent and non-monotonic reasoning, preferential semantics, quantified Boolean formulae

1. INTRODUCTION

Preferential reasoning was introduced by McCarthy [1980] and later by Shoham [1987; 1988] as a generalization of the notion of circumscription. This is a common method behind many general patterns of non-monotonic reasoning [Kraus et al. 1990; Lehmann and Magidor 1992; Makinson 1994], and it is often used as a technique for defining consequence relations that are *paraconsistent* [da Costa 1974], i.e., formalisms in which inconsistent sets of premises do not entail any well-formed formula whatsoever (see, e.g., [Arieli 2003; Arieli and Avron 1998; Avron and Lev 2001; Batens 2000; Besnard and Schaub 1996; Carnielli and Marcos 2002; Kifer and Lozinskii 1992; Konieczny and Marquis 2002; Priest 1991; Schlechta 2000]).

Author's address: Ofer Arieli, Department of Computer Science, The Academic College of Tel-Aviv, 4 Antokolsky street, P.O.Box 16131, Tel-Aviv 61161, Israel. Email: oarieli@mta.ac.il

Permission to make digital/hard copy of all or part of this material without fee for personal or classroom use provided that the copies are not made or distributed for profit or commercial advantage, the ACM copyright/server notice, the title of the publication, and its date appear, and notice is given that copying is by permission of the ACM, Inc. To copy otherwise, to republish, to post on servers, or to redistribute to lists requires prior specific permission and/or a fee.

© 2005 ACM 1529-3785/2005/0700-0001 \$5.00

The essential idea behind preferential reasoning is that only a ‘preferred’ subset of models of a given theory should be taken into consideration for making inferences from that theory. The relevant models are determined by pre-defined conditions, the satisfaction of which yields the exact kind of preference one wants to work with.

In this paper we introduce a uniform setting for representing a variety of preferential paraconsistent consequence relations. This setting is non-classical in nature, since in the context of classical logic preferential semantics cannot help to overcome the problem of trivial reasoning with contradictory theories (indeed, if a certain theory has no two-valued models, then it has no preferred models as well). A useful way of reasoning with contradictory classical theories is therefore by embedding them in multiple-valued logics in general, and Belnap’s four-valued logic [1977a; 1977b] in particular. The latter is particularly useful for reasoning with uncertainty (see e.g. [Arieli and Avron 1998]) and it serves as the underlying multiple-valued semantics in our case as well.

At the computational level, however, implementing paraconsistent reasoning based on four-valued semantics poses important challenges. An effective implementation of theorem provers for one of the existing proof systems for Belnap’s logic requires a major effort. In order to handle this problem, and provide an efficient way of simulating paraconsistent preferential entailments, we consider the following two-phased approach:

- (1) *Encoding of the underlying multi-valued logic in terms of classical logic.* For this, we use *signed theories*, apparently first introduced by Besnard and Schaub [1996; 1998] as syntax-independent paraconsistent reasoning systems. These theories are obtained by polynomial-time transformations on the original theories, which implies that preferential four-valued semantics can be effectively implemented by standard theorem proving in two-valued logic (see also [Arieli and Denecker 2003]).
- (2) *Representing preferences among the models of the theory by quantified Boolean formulae (QBFs)*¹. The use of quantified propositional logic for knowledge representation and reasoning was first proposed by Egly et al. [2000] and then by Besnard et al. [2002; 2003; 2004], who considered the encoding of different forms of nonmonotonic and paraconsistent reasoning by means of QBFs. One important rationale of the QBF approach is that existing solvers can be readily used as back-end tools for implementing the reasoning task at hand.

The outcome of our approach is a general *representation* platform that yields an easy and natural way to handle the *computational* aspects of the underlying consequence relations; by incorporating off-the-shelf computational models for processing QBFs, such as QuBE [Giunchiglia et al. 2001], SEMPROP [Letz 2002], and DECIDE [Rintanen 1999],² it is possible to simulate a variety of non-monotonic and paraconsistent formalisms, such as Priest’s LPm [1989; 1991], Besnard and Schaub’s inference relation \models_n [1997], various kinds of bilattice-based pointwise preferential

¹That is, propositional formulae extended with quantifiers \forall, \exists over propositional variables; see Section 5.2.

²For a list of QBF solvers, see: <http://www.mrg.dist.unige.it/~qube/qbflib/solvers.html>. A comprehensive evaluation of existing QBF solvers appears in [Le Berre et al. 2004].

relations [Arieli and Avron 1996; 1998] and formula-preferential relations [Avron and Lev 2001], consequence relations for reasoning with graded uncertainty (such as the four-valued logics \models_c^4 , see [Arieli 2003]), and some adaptive logics (e.g., Batens' ACLuNs2 [1989; 1998; 2000]). The main contribution of this paper is, therefore, that it provides a *simple* nevertheless *general* way of representing and reasoning with a variety of many-valued paraconsistent logics (including those that are simulated in [Arieli and Denecker 2003] and [Besnard et al. 2003]).

The rest of this paper is organized as follows: in the next two sections we set-up our framework. These sections describe, in particular, how to reason with signed formulae in the context of four-valued semantics. Then we show how this framework may be used for simulating paraconsistent non-monotonic reasoning in the context of two-valued semantics: Section 4 shows how signed formulae may be used in order to simulate a variety of basic (monotonic) consequence relations, and Section 5 shows how preferential derivatives of these consequence relations may be simulated within our framework by incorporating QBFs. In Section 6 we consider some possible extensions of our setting and show how the basic definitions can be generalized accordingly. Finally, in Section 7 we consider some related works and in Section 8 we conclude.³

2. FOUR-VALUED SEMANTICS


The formalism that we consider here is based on four-valued semantics and a corresponding four-valued algebraic structure (denoted by \mathcal{FOUR}), introduced by Belnap [1977a; 1977b]. This structure is composed of four elements $\mathcal{FOUR} = \{t, f, \perp, \top\}$, arranged in two lattice structures: one is the standard logical partial order, \leq_t , which intuitively reflects differences in the ‘measure of truth’ that every value represents. According to this order, f is the minimal element, t is the maximal one, and the other two elements \perp (intuitively representing partial information) and \top (intuitively representing contradictory information) are intermediate values that are incomparable. $(\{t, f, \top, \perp\}, \leq_t)$ is a distributive lattice with an order reversing involution \neg , for which $\neg\top = \perp$ and $\neg\perp = \top$. We shall denote the meet and the join of this lattice by \wedge and \vee , respectively.

The other partial order, \leq_k , is understood (again, intuitively) as reflecting differences in the amount of *knowledge* or *information* that each truth value exhibits. Again, $(\{t, f, \top, \perp\}, \leq_k)$ is a lattice in which \perp is the minimal element, \top is the maximal element, and t, f are incomparable.

The elements of \mathcal{FOUR} can be represented by pairs of two-valued components of the lattice $(\{0, 1\}, 0 < 1)$ as follows: $t = (1, 0)$, $f = (0, 1)$, $\top = (1, 1)$, $\perp = (0, 0)$. One way to intuitively understand this representation is that a truth value (x, y) of p corresponds to the amount x of belief in p and the amount y of disbelief in p . The following lemma expresses the partial orders and the basic operators of \mathcal{FOUR} in terms of this representation by pairs (see also Figure 1).

LEMMA 2.1. [Ginsberg 1988] *Let $x, y, x_i, y_i \in \{0, 1\}$ ($i = 1, 2$). Then:*

³This paper is a revised and extended version of [Arieli 2004].

Fig. 1. *FOUR*

- (1) $(x_1, y_1) \leq_t (x_2, y_2)$ iff $x_1 \leq x_2$ and $y_1 \geq y_2$,
 $(x_1, y_1) \leq_k (x_2, y_2)$ iff $x_1 \leq x_2$ and $y_1 \leq y_2$.
- (2) $\neg(x, y) = (y, x)$,
 $(x_1, y_1) \vee (x_2, y_2) = (x_1 \vee x_2, y_1 \wedge y_2)$,
 $(x_1, y_1) \wedge (x_2, y_2) = (x_1 \wedge x_2, y_1 \vee y_2)$.

The next step in using *FOUR* for reasoning is to choose its set of *designated* elements. The obvious choice is $\mathcal{D} = \{t, \top\}$, since both values intuitively represent formulae known to be true. The set \mathcal{D} has the property that $a \wedge b \in \mathcal{D}$ iff both a and b are in \mathcal{D} , while $a \vee b \in \mathcal{D}$ iff at least one of a or b is in \mathcal{D} , and so \mathcal{D} is a prime filter in *FOUR*. Note also that $\mathcal{D} = \{(1, x) \mid x \in \{0, 1\}\}$.

From this point the various semantic and syntactic notions are defined on *FOUR* as natural generalizations of similar classical notions:

- The underlying propositional language consists of an alphabet Σ of propositional variables, propositional constants t and f , and logical symbols \neg, \wedge, \vee . We denote elements in Σ by p, q, r , formulae by ψ, ϕ , and sets of formulae by $\mathcal{T}, \mathcal{T}_i$. The set of all atoms occurring in ψ is denoted by $\mathcal{A}(\psi)$. Similarly, $\mathcal{A}(\mathcal{T})$ denotes the union of all the sets $\mathcal{A}(\psi)$ s.t. $\psi \in \mathcal{T}$.
- A *valuation* ν is a function that assigns a truth value from *FOUR* to each atomic formula, and $\nu(t) = t, \nu(f) = f$. Any valuation is extended to complex formulae in the obvious way: $\nu(\neg\psi) = \neg\nu(\psi)$, $\nu(\psi \wedge \phi) = \nu(\psi) \wedge \nu(\phi)$, and $\nu(\psi \vee \phi) = \nu(\psi) \vee \nu(\phi)$. We will sometimes write $\psi : b \in \nu$ instead of $\nu(\psi) = b$.
- A valuation ν *satisfies* ψ iff $\nu(\psi) \in \mathcal{D}$. A valuation that satisfies every formula in \mathcal{T} is a *model* of \mathcal{T} . The set of models of \mathcal{T} is denoted by $mod(\mathcal{T})$.

Note that in the four-valued context there are no tautologies in the propositional language defined above. Thus, e.g., excluded middle is not valid, as $\nu(p \vee \neg p) = \perp$ when $\nu(p) = \perp$. This implies that the definition of the material implication $\psi \rightarrow \phi$ as $\neg\psi \vee \phi$ is not adequate for representing entailments. Instead, we use here the following connective (see also [Arieli and Avron 1996; 1998; Besnard et al. 2003] and

Footnote 5 below, for further justifications and other applications of this definition):

$$a \supset b = \begin{cases} t & \text{if } a \notin \mathcal{D}, \\ b & \text{otherwise.} \end{cases}$$

Note that $a \supset b = a \rightarrow b$ when $a, b \in \{t, f\}$, and so the implication above is a generalization of the material implication. Like the other binary connectives we define $\nu(\psi \supset \phi) = \nu(\psi) \supset \nu(\phi)$. The propositional language extended with \supset is denoted by L . As shown in [Arieli and Avron 1998], L is functionally complete for *FOUR*.

LEMMA 2.2. For $x_1, x_2, y_1, y_2 \in \{0, 1\}$, $(x_1, y_1) \supset (x_2, y_2) = (\neg x_1 \vee x_2, x_1 \wedge y_2)$.

PROOF. If $x_1 = 1$ then $(x_1, y_1) \in \mathcal{D}$, and so $(x_1, y_1) \supset (x_2, y_2) = (x_2, y_2)$. If $x_1 = 0$ then $(x_1, y_1) \notin \mathcal{D}$, and so $(x_1, y_1) \supset (x_2, y_2) = (1, 0)$. Both these cases are represented by the equation that is specified in the lemma. \square

3. SIGNED FORMULAE

It is obvious that the representation of truth values in terms of pairs of two-valued components, considered in the previous section, implies a similar way of representing four-valued valuations; a four-valued valuation ν may be represented in terms of a pair of two-valued components (ν_1, ν_2) by $\nu(p) = (\nu_1(p), \nu_2(p))$. So if, for instance, $\nu(p) = t$, then $\nu_1(p) = 1$ and $\nu_2(p) = 0$. Note also that $\nu = (\nu_1, \nu_2)$ is a four-valued model of \mathcal{T} iff $\nu_1(\psi) = 1$ for every $\psi \in \mathcal{T}$.

DEFINITION 3.1. A *signed alphabet* Σ^\pm is a set that consists of two symbols p^+, p^- for each atom p of Σ . The language over Σ^\pm is denoted by L^\pm . Now,

- the two-valued valuation ν^2 on Σ^\pm that is *induced by* (or *associated with*) a four-valued valuation $\nu^4 = (\nu_1, \nu_2)$ on Σ , interprets p^+ as $\nu_1(p)$ and p^- as $\nu_2(p)$,
- the four-valued valuation ν^4 on Σ that is *induced by* a two-valued valuation ν^2 on Σ^\pm is defined, for every atom $p \in \Sigma$, by $\nu^4(p) = (\nu^2(p^+), \nu^2(p^-))$.

In what follows we denote by ν^2 a valuation into $\{0, 1\}$, and by ν^4 a valuation into $\{t, f, \top, \perp\}$.

DEFINITION 3.2. For $p \in \Sigma$ and $\psi, \phi \in L$, define the following formulae in L^\pm :

$$\begin{array}{ll} \tau_1(p) = p^+, & \tau_2(p) = p^-, \\ \tau_1(\neg\psi) = \tau_2(\psi), & \tau_2(\neg\psi) = \tau_1(\psi), \\ \tau_1(\psi \wedge \phi) = \tau_1(\psi) \wedge \tau_1(\phi), & \tau_2(\psi \wedge \phi) = \tau_2(\psi) \vee \tau_2(\phi), \\ \tau_1(\psi \vee \phi) = \tau_1(\psi) \vee \tau_1(\phi), & \tau_2(\psi \vee \phi) = \tau_2(\psi) \wedge \tau_2(\phi), \\ \tau_1(\psi \supset \phi) = \neg\tau_1(\psi) \vee \tau_1(\phi), & \tau_2(\psi \supset \phi) = \tau_1(\psi) \wedge \tau_2(\phi). \end{array}$$

Given a set \mathcal{T} of formulae in L , we denote $\tau_i(\mathcal{T}) = \{\tau_i(\psi) \mid \psi \in \mathcal{T}\}$, for $i = 1, 2$.

EXAMPLE 3.3. Consider, e.g., the formula $\psi = \neg(p \vee \neg q) \vee \neg q$. Then,

$$\begin{aligned} \tau_1(\psi) &= \tau_1(\neg(p \vee \neg q)) \vee \tau_1(\neg q) &= \tau_2(p \vee \neg q) \vee \tau_2(q) &= \\ &= (\tau_2(p) \wedge \tau_2(\neg q)) \vee \tau_2(q) &= (\tau_2(p) \wedge \tau_1(q)) \vee \tau_2(q) &= \\ &= (p^- \wedge q^+) \vee q^-. \end{aligned}$$

We call $\tau_i(\psi)$ ($i = 1, 2$) the *signed formulae* that are obtained from ψ . Intuitively, $\tau_1(\psi)$ indicates whether ψ should be ‘at least true’ (i.e., it is assigned t or \top), and $\tau_2(\psi)$ indicates if ψ is ‘at least false’. In other words, if $\tau_1(\psi)$ (respectively, $\tau_2(\psi)$) is true in the two-valued context, then ψ (respectively, $\neg\psi$) holds in the four-valued context (cf. Corollaries 3.5 and 3.6).

PROPOSITION 3.4. *Let $\psi \in L$.*

(1) *If ν^4 is induced by ν^2 , then $\nu^4(\psi) = (\nu^2(\tau_1(\psi)), \nu^2(\tau_2(\psi)))$.*

(2) *If ν^2 is induced by ν^4 , then $\nu^4(\psi) = (\nu^2(\tau_1(\psi)), \nu^2(\tau_2(\psi)))$.*

PROOF. The proof of both parts is by induction on the structure of ψ . Consider, first, part (1). For $\psi = p$ we have $\nu^4(p) = (\nu^2(p^+), \nu^2(p^-)) = (\nu^2(\tau_1(p)), \nu^2(\tau_2(p)))$. Now, by Lemma 2.1,

- $\psi = \neg\phi$:
$$\begin{aligned} \nu^4(\psi) &= \nu^4(\neg\phi) = \neg\nu^4(\phi) = \neg(\nu^2(\tau_1(\phi)), \nu^2(\tau_2(\phi))) = \\ &(\nu^2(\tau_2(\phi)), \nu^2(\tau_1(\phi))) = (\nu^2(\tau_1(\neg\phi)), \nu^2(\tau_2(\neg\phi))) = \\ &(\nu^2(\tau_1(\psi)), \nu^2(\tau_2(\psi))). \end{aligned}$$
- $\psi = \phi_1 \vee \phi_2$:
$$\begin{aligned} \nu^4(\psi) &= \nu^4(\phi_1 \vee \phi_2) = \nu^4(\phi_1) \vee \nu^4(\phi_2) = \\ &(\nu^2(\tau_1(\phi_1)), \nu^2(\tau_2(\phi_1))) \vee (\nu^2(\tau_1(\phi_2)), \nu^2(\tau_2(\phi_2))) = \\ &(\nu^2(\tau_1(\phi_1)) \vee \nu^2(\tau_1(\phi_2)), \nu^2(\tau_2(\phi_1)) \wedge \nu^2(\tau_2(\phi_2))) = \\ &(\nu^2(\tau_1(\phi_1) \vee \tau_1(\phi_2)), \nu^2(\tau_2(\phi_1) \wedge \tau_2(\phi_2))) = \\ &(\nu^2(\tau_1(\phi_1 \vee \phi_2)), \nu^2(\tau_2(\phi_1 \vee \phi_2))) = \\ &(\nu^2(\tau_1(\psi)), \nu^2(\tau_2(\psi))). \end{aligned}$$
- $\psi = \phi_1 \wedge \phi_2$: similar (dual) to the case where $\psi = \phi_1 \vee \phi_2$.
- $\psi = \phi_1 \supset \phi_2$:
$$\begin{aligned} \nu^4(\psi) &= \nu^4(\phi_1 \supset \phi_2) = \nu^4(\phi_1) \supset \nu^4(\phi_2) = \\ &(\nu^2(\tau_1(\phi_1)), \nu^2(\tau_2(\phi_1))) \supset (\nu^2(\tau_1(\phi_2)), \nu^2(\tau_2(\phi_2))) = \\ &\text{by Lemma 2.2,} \\ &(\neg\nu^2(\tau_1(\phi_1)) \vee \nu^2(\tau_1(\phi_2)), \nu^2(\tau_1(\phi_1)) \wedge \nu^2(\tau_2(\phi_2))) = \\ &(\nu^2(\neg\tau_1(\phi_1) \vee \tau_1(\phi_2)), \nu^2(\tau_1(\phi_1) \wedge \tau_2(\phi_2))) = \\ &(\nu^2(\tau_1(\phi_1 \supset \phi_2)), \nu^2(\tau_2(\phi_1 \supset \phi_2))) = \\ &(\nu^2(\tau_1(\psi)), \nu^2(\tau_2(\psi))). \end{aligned}$$

The proof of (2) is similar; we show here only the base step. Indeed, for atom p , $\nu^4(p) = (\nu_1(p), \nu_2(p))$. Since ν^2 is induced by ν^4 , $\nu^2(p^+) = \nu_1(p)$ and $\nu^2(p^-) = \nu_2(p)$, thus $\nu^4(p) = (\nu^2(p^+), \nu^2(p^-))$. By the definition of τ_1, τ_2 , then, $\nu^4(p) = (\nu^2(\tau_1(p)), \nu^2(\tau_2(p)))$. \square

COROLLARY 3.5. *If ν^2 is induced by ν^4 or ν^4 is induced by ν^2 , then for every $\psi \in L$, $\nu^2(\tau_1(\psi)) = 1$ iff $\nu^4(\psi) \geq_k t$, and $\nu^2(\tau_2(\psi)) = 1$ iff $\nu^4(\psi) \geq_k f$.*

PROOF. $\nu^4(\psi) \geq_k t$ iff $\nu^4(\psi) = (1, x)$ for some $x \in \{0, 1\}$, iff (Proposition 3.4) $\nu^2(\tau_1(\psi)) = 1$. Similarly, $\nu^4(\psi) \geq_k f$ iff $\nu^4(\psi) = (y, 1)$ for some $y \in \{0, 1\}$, iff $\nu^2(\tau_2(\psi)) = 1$. \square

The last corollary may be re-formulated as follows:

COROLLARY 3.6. *If ν^2 is induced by ν^4 or ν^4 is induced by ν^2 , then for every $\psi \in L$, ν^4 satisfies ψ iff ν^2 satisfies $\tau_1(\psi)$, and ν^4 satisfies $\neg\psi$ iff ν^2 satisfies $\tau_2(\psi)$.*

The fact that a formula ψ should have a truth value x may thus be encoded by a signed formula $\text{val}(\psi, x)$ as follows:

DEFINITION 3.7. For $\psi \in L$, define the following signed formulae in L^\pm :

$$\begin{aligned} \text{val}(\psi, t) &= \tau_1(\psi) \wedge \neg\tau_2(\psi), & \text{val}(\psi, f) &= \neg\tau_1(\psi) \wedge \tau_2(\psi), \\ \text{val}(\psi, \top) &= \tau_1(\psi) \wedge \tau_2(\psi), & \text{val}(\psi, \perp) &= \neg\tau_1(\psi) \wedge \neg\tau_2(\psi). \end{aligned}$$

Given a set \mathcal{T} of formulae in L , we denote $\mathcal{D}(\mathcal{T}) = \{\text{val}(\psi, t) \vee \text{val}(\psi, \top) \mid \psi \in \mathcal{T}\}$.

PROPOSITION 3.8. *In case that either ν^2 is induced by ν^4 , or ν^4 is induced by ν^2 , we have that for every $\psi \in L$, $\nu^4(\psi) = x$ iff $\nu^2(\text{val}(\psi, x)) = 1$.*

PROOF. This is another immediate consequence of Proposition 3.4. Consider, e.g., $x = \top$. Then $\nu^2(\text{val}(\psi, \top)) = 1$ iff $\nu^2(\tau_1(\psi) \wedge \tau_2(\psi)) = 1$, iff $\nu^2(\tau_1(\psi)) = 1$ and $\nu^2(\tau_2(\psi)) = 1$, iff (Proposition 3.4) $\nu^4(\psi) = \top$. The proof of the other cases is similar. \square

The last results may be specified in terms of models of a given theory as follows:

PROPOSITION 3.9. *Let \mathcal{T} be a set of formulae in L .*

- (1) *The (two-valued) models of $\tau_1(\mathcal{T})$ are the same as those of $\mathcal{D}(\mathcal{T})$.*
- (2) *There is a one-to-one correspondence between the four-valued models of \mathcal{T} and the two-valued models of $\tau_1(\mathcal{T})$:*
 - (a) *ν^4 is a model of \mathcal{T} if the two-valued valuation that is associated with ν^4 is a model of $\tau_1(\mathcal{T})$, and*
 - (b) *ν^2 is a model of $\tau_1(\mathcal{T})$ if the four-valued valuation that is associated with ν^2 is a model of \mathcal{T} .*

This is also the one-to-one correspondence between the four-valued models of \mathcal{T} and the two-valued models of $\mathcal{D}(\mathcal{T})$.

PROOF. A valuation ν^4 is a model of \mathcal{T} iff for every $\psi \in \mathcal{T}$ $\nu^4(\psi) \in \{t, \top\}$, iff for every $\psi \in \mathcal{T}$ $\nu^4(\psi) \geq_k t$, iff (Corollary 3.5) for every $\psi \in \mathcal{T}$ $\nu^2(\tau_1(\psi)) = 1$, iff ν^2 is a model of $\tau_1(\mathcal{T})$. Similarly, by Proposition 3.8, ν^4 is a model of \mathcal{T} iff for every $\psi \in \mathcal{T}$ $\nu^2(\text{val}(\psi, t)) = 1$ or $\nu^2(\text{val}(\psi, \top)) = 1$, iff ν^2 is a model of $\mathcal{D}(\mathcal{T})$. These arguments easily imply both parts of the proposition. \square

4. USING SIGNED FORMULAE TO SIMULATE BASIC ENTAILMENTS

In the next two sections we show how the signed theories introduced above can be used to simulate paraconsistent reasoning by classical entailments. In this section we show how basic four-valued and three-valued consequence relations can be defined in terms of a classical two-valued entailment of signed theories, and in Section 5 we show that three-valued and four-valued *preferential* relations can be defined in terms of a classical entailment for the signed theories, augmented with quantified Boolean axioms.

In what follows we denote by \models^2 the two-valued classical consequence relation and by \models^4 the four-valued counterpart, i.e., $\mathcal{T} \models^4 \psi$ if every four-valued model of \mathcal{T} is a four-valued model of ψ . By Proposition 3.9 we immediately have the following theorem:

THEOREM 4.1. $\mathcal{T} \models^4 \psi$ iff $\tau_1(\mathcal{T}) \models^2 \tau_1(\psi)$ iff $\mathcal{D}(\mathcal{T}) \models^2 \mathcal{D}(\psi)$.

The theorem above implies, in particular, that one can simulate four-valued entailment by two-valued entailment. It follows, therefore, that four-valued reasoning may be implemented by two-valued theorem provers or SAT solvers. Moreover, as $\tau_1(\mathcal{T})$ is obtained from \mathcal{T} in polynomial time, Theorem 4.1 shows that four-valued entailment in the context of Belnap's logic is *polynomially reducible* to classical entailment.⁴

EXAMPLE 4.2. Let $\mathcal{T}_1 = \{p, \neg p, q, \neg p \vee r, \neg q \vee s\}$. Then $\tau_1(\mathcal{T}_1) = \{p^+, p^-, q^+, p^- \vee r^+, q^- \vee s^+\}$. In this case, e.g., $\tau_1(\mathcal{T}_1) \not\models^2 r^+$ and $\tau_1(\mathcal{T}_1) \not\models^2 s^+$, so indeed $\mathcal{T}_1 \not\models^4 r$ and $\mathcal{T}_1 \not\models^4 s$ (consider, e.g., a valuation that assigns \top to p and q , and f to r and s). Note also, that this example shows that \models^4 is a *paraconsistent* consequence relation, since (unlike classical logic), it is not the case that every formula is a \models^4 -consequence of a classically inconsistent theory.

Consider now $\mathcal{T}_2 = \{p, \neg p, q, p \supset r, q \supset s\}$. Here, $\tau_1(\mathcal{T}_2) = \{p^+, p^-, q^+, \neg p^+ \vee r^+, \neg q^+ \vee s^+\}$, and this time $\tau_1(\mathcal{T}_2) \models^2 r^+$ and $\tau_1(\mathcal{T}_2) \models^2 s^+$. This corresponds to the fact that $\mathcal{T}_2 \models^4 r$ and $\mathcal{T}_2 \models^4 s$.⁵

It is interesting to note that if the connective \supset does not appear in \mathcal{T} , then $\tau_1(\mathcal{T})$ (as well as $\mathcal{D}(\mathcal{T})$) is a *positive theory* (i.e., a theory without negations). In particular, then, Theorem 4.1 also implies the following well-known result:

COROLLARY 4.3. *In positive propositional logic (i.e., w.r.t. the $\{\vee, \wedge\}$ -fragment of the language), $\mathcal{T} \models^4 \psi$ iff $\mathcal{T} \models^2 \psi$.*

PROOF. Follows from Theorem 4.1 and the fact that in the positive propositional language, $\tau_1(\mathcal{T})$ is the same as \mathcal{T} (using Σ^\pm instead of Σ). \square

Theorem 4.1 also shows that some basic three-valued logics can be simulated in our framework:

DEFINITION 4.4. For a set \mathcal{T} of formulae in L , denote

$$\text{EM}(\mathcal{T}) = \{p \vee \neg p \mid p \in \mathcal{A}(\mathcal{T})\}, \quad \text{EFQ}(\mathcal{T}) = \{(p \wedge \neg p) \supset f \mid p \in \mathcal{A}(\mathcal{T})\}.$$
⁶

COROLLARY 4.5. *Let \mathcal{T} be a set of formulae in L and ψ a formula in L .*

⁴See also [Arieli and Denecker 2003] for a similar result (for the language without ' \supset '), obtained by a different transformation.

⁵Note that \mathcal{T}_2 is obtained from \mathcal{T}_1 by using \supset instead of the material implication \rightarrow , so this example demonstrates the fact that in the four-valued setting Modus Ponens and the Deduction Theorem are satisfied by \supset but not by \rightarrow . This is another vindication to the claim that in the four-valued setting the former connective is more suitable for representing entailment than the latter.

⁶EM and EFQ stand for 'excluded middle' and 'ex falso quodlibet sequitur', respectively. Recall that $\mathcal{A}(\mathcal{T})$ is the set of atoms that appear in the formulae of \mathcal{T} .

—Denote by \models_{LP}^3 the entailment relation of Priest’s three-valued logic LP [Priest 1989; 1991]. Then:

$$\mathcal{T} \models_{\text{LP}}^3 \psi \text{ iff } \tau_1(\mathcal{T} \cup \text{EM}(\mathcal{T})) \models^2 \tau_1(\psi).^7$$

—Denote by \models_{Kl}^3 the entailment relation of Kleene’s three-valued logic [Kleene 1950]. Then:

$$\mathcal{T} \models_{\text{Kl}}^3 \psi \text{ iff } \tau_1(\mathcal{T} \cup \text{EFQ}(\mathcal{T})) \models^2 \tau_1(\psi).$$

PROOF. By Theorem 4.1 and the facts that $\mathcal{T} \models_{\text{LP}}^3 \psi$ iff $\mathcal{T}, \text{EM}(\mathcal{T}) \models^4 \psi$, and $\mathcal{T} \models_{\text{Kl}}^3 \psi$ iff $\mathcal{T}, \text{EFQ}(\mathcal{T}) \models^4 \psi$ (see [Arieli and Avron 1998]). \square

5. USING SIGNED QBFS TO SIMULATE PREFERENTIAL ENTAILMENTS

5.1 Preferential reasoning

Consider again the theory $\mathcal{T}_1 = \{p, \neg p, q, \neg p \vee r, \neg q \vee s\}$ of Example 4.2. Intuitively, since the information about r is related to the inconsistent (thus unreliable) information about p , we have that $\mathcal{T}_1 \not\models^4 r$. However, the fact that $\mathcal{T}_1 \not\models^4 s$ seems to be more controversial in this case, since the information about q and s is not related to the cause of inconsistency in \mathcal{T}_1 , and so applying classically valid rules such as the Disjunctive Syllogism to $\{q, \neg q \vee s\}$ for concluding s from \mathcal{T}_1 should be justified here. In terms of Batens [1989; 1998], then, \models^4 is not *adaptive*, since it does not presuppose the consistency of all the assertions ‘unless and until proven otherwise’. In other words, although it is possible to distinguish between a consistent fragment and an inconsistent fragment of \mathcal{T}_1 , it is not the case that assertions that classically follow from the consistent fragment, and are not related to the inconsistent fragment, are \models^4 -consequences of \mathcal{T}_1 . Note, further, that s is not even a \models^4 -consequence of the *classically consistent* subtheory $\{q, \neg q \vee s\}$, and so \models^4 is strictly weaker than classical logic (see also [Arieli and Avron 1996; 1998]). It is well known that Priest’s \models_{LP}^3 (see Corollary 4.5) has the same drawback.

One way to overcome these shortcomings is to refine the underlying consequence relations, and rather than taking into account all the models of the premises, to consider only a subset of *preferential models* [McCarthy 1980; Shoham 1987; 1988] as relevant for making inferences. These models are determined according to some preference conditions that can be specified syntactically by a set of (usually second-order) propositions, or by order relations on the space of valuations (see, e.g., [Makinson 1994] for a detailed discussion on preferential reasoning). We now introduce a general setting for such order relations.

DEFINITION 5.1. Let ν_1 and ν_2 be two valuations, $\Upsilon \subseteq \text{FOUR}$, and Δ a set of formulae in L . ν_1 is Υ -preferred to ν_2 w.r.t. Δ (notation: $\nu_1 \leq_{\Upsilon}^{\Delta} \nu_2$), if

$$\{\psi \in \Delta \mid \nu_1(\psi) \in \Upsilon\} \subseteq \{\psi \in \Delta \mid \nu_2(\psi) \in \Upsilon\}.$$

We denote by $\nu_1 <_{\Upsilon}^{\Delta} \nu_2$ that $\nu_1 \leq_{\Upsilon}^{\Delta} \nu_2$ and $\nu_2 \not\leq_{\Upsilon}^{\Delta} \nu_1$.

DEFINITION 5.2. Let \mathcal{T}, Δ be sets of formulae in L , and $\Upsilon \subseteq \text{FOUR}$. A valuation $\nu \in \text{mod}(\mathcal{T})$ is a \leq_{Υ}^{Δ} -minimal model of \mathcal{T} if there is no $\mu \in \text{mod}(\mathcal{T})$ s.t. $\mu <_{\Upsilon}^{\Delta} \nu$.

⁷See [Arieli and Denecker 2003] and [Besnard et al. 2003, Theorem 2] for other representations of Priest’s logic in terms of signed formulae.

Table I. The four-valued models of \mathcal{T}_1

No.	p	q	r	s	No.	p	q	r	s	No.	p	q	r	s
1	\top	t	\perp	t	9	\top	\top	\perp	\perp	17	\top	\top	f	\perp
2	\top	t	t	t	10	\top	\top	\perp	t	18	\top	\top	f	t
3	\top	t	f	t	11	\top	\top	\perp	f	19	\top	\top	f	f
4	\top	t	\top	t	12	\top	\top	\perp	\top	20	\top	\top	f	\top
5	\top	t	\perp	\top	13	\top	\top	t	\perp	21	\top	\top	\top	\perp
6	\top	t	t	\top	14	\top	\top	t	t	22	\top	\top	\top	t
7	\top	t	f	\top	15	\top	\top	t	f	23	\top	\top	\top	f
8	\top	t	\top	\top	16	\top	\top	t	\top	24	\top	\top	\top	\top

Intuitively, Δ represents the ‘abnormal formulae’ (see [Batens 1998]), and the purpose is to minimize the Υ -assignments of the elements in Δ . In this respect, Definitions 5.1 and 5.2 may be viewed as a generalization of preferential orders considered elsewhere in the literature: when Υ consists of the designated elements, the order relations of Definition 5.1 are called *formula-preferential orders* [Avron and Lev 2001]. When $\Delta \subseteq \Sigma$, these kinds of orders are called *pointwise-preferential* [Arieli and Avron 1998; Avron and Lev 2001], and their minimal elements are the valuations with minimal set of atoms⁸ that are assigned values in Υ . In the later case, Υ sometimes consists of ‘abnormal values’ (such as \top or \perp) that should be assigned to as minimal number of atoms as possible. Note also that in the particular case where $\Delta = \mathcal{T}$ [respectively, where $\Delta = \mathcal{A}(\mathcal{T})$], the purpose is to minimize the Υ -assignments of the [atomic] formulae that appear in [some formulae of] the premises.

EXAMPLE 5.3. Consider again the set $\mathcal{T}_1 = \{p, \neg p, q, \neg p \vee r, \neg q \vee s\}$ of Example 4.2. The 24 four-valued models of \mathcal{T}_1 are listed in Table I.

Anomalous situations, such as the ones represented by ν_{21} and ν_{23} (see Table I), are the reason that consequence relations like \models^4 are ‘over-cautious’, and cause counter-intuitive conclusions such as $\mathcal{T}_1 \not\models^4 s$, discussed at the beginning of this section. Preferential reasoning avoids these anomalies by taking into account only the most ‘plausible’ models of the premises. In this case, for instance, one could take $\Upsilon = \{\top, \perp\}$ as the set of ‘abnormal’ values (the assignments of which should be minimized), or $\Delta = \{u \wedge \neg u \mid u \in \Sigma\}$ as a set of abnormal formulae. With these choices, and in the notations of Table I, the $\leq_{\Upsilon}^{\mathcal{A}(\mathcal{T}_1)}$ -minimal models of \mathcal{T}_1 are $\nu_2 = \{p : \top, q : t, r : t, s : t\}$ and $\nu_3 = \{p : \top, q : t, r : f, s : t\}$. These are also the \leq_{Υ}^{Δ} -minimal models of \mathcal{T}_1 , but only ν_2 is a $\leq_{\Upsilon}^{\mathcal{T}_1}$ -minimal model of \mathcal{T}_1 (note that $\nu_2 <_{\Upsilon}^{\mathcal{T}_1} \nu_3$, since $\nu_3(\neg p \vee r) = \top$ while $\nu_2(\neg p \vee r) = t$).

DEFINITION 5.4. Let \mathcal{T}, Δ be sets of formulae in L , ψ a formula in L , and $\Upsilon \subseteq \text{FOUR}$. Then $\mathcal{T} \models_{(\Upsilon, \Delta)}^4 \psi$ if every \leq_{Υ}^{Δ} -minimal (four-valued) model of \mathcal{T} is a (four-valued) model of ψ .

EXAMPLE 5.3, CONTINUED. In the notations of Example 5.3,

$$\begin{aligned} \mathcal{T}_1 \models_{(\Upsilon, \Delta)}^4 s, \quad \mathcal{T}_1 \models_{(\Upsilon, \mathcal{A}(\mathcal{T}_1))}^4 s, \quad \mathcal{T}_1 \models_{(\Upsilon, \mathcal{T}_1)}^4 s, \\ \mathcal{T}_1 \not\models_{(\Upsilon, \Delta)}^4 r, \quad \mathcal{T}_1 \not\models_{(\Upsilon, \mathcal{A}(\mathcal{T}_1))}^4 r, \quad \mathcal{T}_1 \models_{(\Upsilon, \mathcal{T}_1)}^4 r. \end{aligned}$$

⁸Where the minimum is taken with respect to set inclusion.

It follows that the preferential relations considered here are indeed adaptive, and although $\mathcal{T}_1 \not\models^4 s$, in all of them s is deducible from \mathcal{T}_1 .

Again, Definition 5.4 includes a variety of preferential consequence relations, many of which correspond to particular cases that were introduced elsewhere. Before considering ways to properly represent these consequence relations and showing how this affects the computational feasibility of the corresponding reasoning process, we list some specific (already investigated) relations among those of Definition 5.4:

EXAMPLE 5.5. The following consequence relations are representable in terms of Definition 5.4.

- (1) Denote by \models_{LPm}^3 the consequence relation of Priest's three-valued logic LPm of minimal inconsistency [Priest 1989; 1991].⁹ Then:

$$\mathcal{T} \models_{\text{LPm}}^3 \psi \text{ iff } \mathcal{T}, \text{EM}(\mathcal{T}) \models_{(\{\top\}, \Sigma)}^4 \psi$$

or, equivalently,

$$\mathcal{T} \models_{\text{LPm}}^3 \psi \text{ iff } \mathcal{T}, \text{EM}(\mathcal{T}) \models_{(\{\top\}, \Delta)}^4 \psi$$

where $\Delta = \{p \wedge \neg p \mid p \in \mathcal{A}(\mathcal{T})\}$. In fact, if we denote by $\models_{(\{\top\}, \Sigma)}^3$ the three-valued counterpart of $\models_{(\{\top\}, \Sigma)}^4$,¹⁰ then with the same Δ we have,

$$\mathcal{T} \models_{\text{LPm}}^3 \psi \text{ iff } \mathcal{T} \models_{(\{\top\}, \Sigma)}^3 \psi \text{ iff } \mathcal{T} \models_{(\{\top\}, \Delta)}^3 \psi.$$

The same pointwise consequence relations also simulate Batens' adaptive logic ACLuNs2 [Batens 1998].

- (2) Arieli and Avron's pointwise-preferential consequence relation for reasoning with minimal inconsistency $\models_{\mathcal{I}_1}^4$ [Arieli and Avron 1996; 1998] can be represented by the following pointwise consequence relation:

$$\mathcal{T} \models_{\mathcal{I}_1}^4 \psi \text{ iff } \mathcal{T} \models_{(\{\top\}, \Sigma)}^4 \psi.$$

Similarly, the consequence relation $\models_{\mathcal{I}_2}^4$ for reasoning with most classical models, introduced in the same papers, can be represented as follows:

$$\mathcal{T} \models_{\mathcal{I}_2}^4 \psi \text{ iff } \mathcal{T} \models_{(\{\top, \perp\}, \Sigma)}^4 \psi.$$

- (3) Besnard and Schaub's three-valued formula-preferential consequence relation \models_n [Besnard and Schaub 1997] is represented by the following formula-preferential relations:

$$\mathcal{T} \models_n \psi \text{ iff } \mathcal{T}, \text{EM}(\mathcal{T}) \models_{(\{\top\}, \mathcal{T})}^4 \psi \text{ iff } \mathcal{T} \models_{(\{\top\}, \mathcal{T})}^3 \psi$$

where $\models_{(\{\top\}, \mathcal{T})}^3$ is the three-valued counterpart (i.e., without \perp) of $\models_{(\{\top\}, \mathcal{T})}^4$.

- (4) Given a set Δ of formulae, denote by $\models^{\mathcal{P}}$ Avron and Lev's Δ -preferential consequence relation that is based on the deterministic four-valued preferential

⁹In [Priest 1989; 1991] the language without ' \supset ' is considered, but the results here hold for the extended language as well.

¹⁰I.e., the same definition, but only with respect to $\{t, f, \top\}$.

system $\mathcal{P} = (\models^4, \leq_{\{\top, t\}}^\Delta)$ [Avron and Lev 2001].¹¹ The intuition here is, again, to consider models of the premises that satisfy a minimal amount of abnormal formulae (in Δ). In our context, then, Υ is the set $\mathcal{D} = \{\top, t\}$ of the designated elements in \mathcal{FOUR} , and so

$$\mathcal{T} \models^{\mathcal{P}} \psi \text{ iff } \mathcal{T} \models_{(\{\top, t\}, \Delta)}^4 \psi.$$

- (5) Other preferential logics, such as Arieli and Avron's consequence relation \models_k^4 for preferring minimal knowledge [Arieli and Avron 1996; 1998] are also representable by the consequence relations of Definition 5.4, using extended languages; see [Avron and Lev 2001] for the details.

5.2 QBFs and signed QBFs

In the following sections we show how the consequence relations that are obtained from Definition 5.4 can be simulated by signed formulae and classical entailment. In order to extend the technique of Section 4 (and the result of Theorem 4.1) to preferential four-valued reasoning, we should express that a given interpretation is minimal with respect to the underlying preference relation, i.e., to represent the minimization conditions of Definition 5.2. This is accomplished by introducing (signed) *quantified Boolean formulae* (QBFs) that encode the required axioms.

First, we extend the language L (respectively, L^\pm) with universal and existential quantifiers \forall, \exists over propositional variables. Denote the extended language by L_Q (respectively, L_Q^\pm). The elements of L_Q are called quantified Boolean formulae (QBFs), and the elements of L_Q^\pm are called *signed* QBFs. QBFs and signed QBFs are denoted here by the Greek letters Ψ, Φ , and sets of (signed) QBFs are denoted by Γ . Intuitively, the meaning of a QBF of the form $\exists p \forall q \psi$ is that there exists a truth assignment of p such that for every truth assignment of q , ψ is true. Clearly, every QBF is associated with a logically equivalent propositional formula, thus QBFs can be seen as a conservative extension of classical propositional logic. Next we formalize this intuition:

Consider a QBF Ψ over L_Q . An occurrence of an atom p in Ψ is called *free* if it is not in the scope of a quantifier Qp , for $Q \in \{\forall, \exists\}$. Denote by $\Psi[\phi_1/p_1, \dots, \phi_n/p_n]$ the uniform substitution of each free occurrence of a variable (atom) p_i in Ψ by a formula ϕ_i , for $i=1, \dots, n$. Now, the definition of a valuation can be extended to QBFs as follows:

$$\begin{aligned} \nu(\neg\psi) &= \neg\nu(\psi), \\ \nu(\psi \circ \phi) &= \nu(\psi) \circ \nu(\phi), \text{ where } \circ \in \{\wedge, \vee, \supset\}, \\ \nu(\forall p \psi) &= \nu(\psi[\mathbf{t}/p]) \wedge \nu(\psi[\mathbf{f}/p]), \\ \nu(\exists p \psi) &= \nu(\psi[\mathbf{t}/p]) \vee \nu(\psi[\mathbf{f}/p]). \end{aligned}$$

As usual, we say that a (two-valued) valuation ν *satisfies* a QBF Ψ if $\nu(\Psi) = 1$, ν is a *model* of a set Γ of QBFs (notation: $\nu \in \text{mod}(\Gamma)$) if ν satisfies every element

¹¹In [Avron and Lev 2001] extensions to non-deterministic matrices are also considered, but we shall not deal with this here.

of Γ , and a QBF Ψ is (classically) *entailed* by Γ (notation: $\Gamma \models^2 \Psi$) if every model of Γ is also a model of Ψ .¹²

5.3 Preferential reasoning by signed QBFs

We are now ready to use signed QBFs for representing preferential reasoning. In what follows \mathcal{T} denotes a *finite* set of formulae in L , and \mathcal{T}_\wedge denotes the conjunction of the elements in \mathcal{T} .

DEFINITION 5.6. For $\Upsilon = \{x_1, \dots, x_n\} \subseteq \text{FOUR}$, denote $\Upsilon(\psi) = \text{val}(\psi, x_1) \vee \dots \vee \text{val}(\psi, x_n)$.

NOTE 5.7. By Proposition 3.8, if ν^2 is induced by ν^4 , or ν^4 is induced by ν^2 , then $\nu^4(\psi) \in \Upsilon$ iff $\nu^2(\Upsilon(\psi)) = 1$.

DEFINITION 5.8. $\mathcal{A}^\pm(\mathcal{T}) = \{p^+ \mid p \in \mathcal{A}(\mathcal{T})\} \cup \{p^- \mid p \in \mathcal{A}(\mathcal{T})\}$.

PROPOSITION 5.9. Let $\Delta = \{\psi_1, \dots, \psi_k\}$ and \mathcal{T} be finite sets of formulae in L , and let $\mathcal{A}^\pm(\mathcal{T} \cup \Delta) = \{p_1, \dots, p_n\}$. Then ν^4 is a \leq_{Υ}^{Δ} -minimal model of \mathcal{T} iff the two-valued valuation ν^2 that is associated with ν^4 is a model of $\tau_1(\mathcal{T})$ and the following signed QBF, denoted $\text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T})$:

$$\forall q_1, \dots, q_n \left(\tau_1(\mathcal{T}_\wedge) [q_1/p_1, \dots, q_n/p_n] \rightarrow \left(\bigwedge_{i=1}^k \left(\Upsilon(\psi_i) [q_1/p_1, \dots, q_n/p_n] \rightarrow \Upsilon(\psi_i) \right) \rightarrow \bigwedge_{i=1}^k \left(\Upsilon(\psi_i) \rightarrow \Upsilon(\psi_i) [q_1/p_1, \dots, q_n/p_n] \right) \right) \right).$$

PROOF. By Proposition 3.9-(2), ν^4 is a model of \mathcal{T} iff ν^2 is a model of $\tau_1(\mathcal{T})$. It remains to show, then, that the fact that ν^2 satisfies $\text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T})$ is a necessary and sufficient condition for assuring that ν^4 is \leq_{Υ}^{Δ} -minimal among the models of \mathcal{T} . For this, denote by $(\{r_1, \dots, r_n\} : \mu_1, \{s_1, \dots, s_m\} : \mu_2)$ a valuation that interprets the symbols in $\{r_1, \dots, r_n\}$ according to μ_1 and the symbols in $\{s_1, \dots, s_m\}$ according to μ_2 . Now, suppose that μ_1^4 and μ_2^4 are two models of \mathcal{T} . By Proposition 3.9-(2) and Note 5.7, $\mu_1^4 \leq_{\Upsilon}^{\Delta} \mu_2^4$ iff $(\{r_1, \dots, r_n\} : \mu_1^2, \{s_1, \dots, s_m\} : \mu_2^2)$ satisfies $\bigwedge_{i=1}^k (\Upsilon(\psi_i) [r_1/p_1, \dots, r_n/p_n] \rightarrow \Upsilon(\psi_i) [s_1/p_1, \dots, s_m/p_n])$, where μ_1^2 and μ_2^2 are the two-valued interpretations that are induced by (the four-valued interpretations) μ_1^4 and μ_2^4 , respectively. It follows, then, that ν^2 satisfies $\text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T})$ iff for every valuation μ^2 that satisfies $\tau_1(\mathcal{T}_\wedge)$ (i.e., $\mu^2 \in \text{mod}(\tau_1(\mathcal{T}))$), if $(\{p_1, \dots, p_n\} : \nu^2, \{q_1, \dots, q_n\} : \mu^2)$ satisfies $\bigwedge_{i=1}^k (\Upsilon(\psi_i) [q_1/p_1, \dots, q_n/p_n] \rightarrow \Upsilon(\psi_i))$ then the same valuation also satisfies $\bigwedge_{i=1}^k (\Upsilon(\psi_i) \rightarrow \Upsilon(\psi_i) [q_1/p_1, \dots, q_n/p_n])$. Thus, ν^2 satisfies $\text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T})$ iff for every model μ^4 of \mathcal{T} , for which $\mu^4 \leq_{\Upsilon}^{\Delta} \nu^4$, it is also true that $\nu^4 \leq_{\Upsilon}^{\Delta} \mu^4$. This means that ν^2 satisfies $\text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T})$ iff there is no model μ^4 of \mathcal{T} s.t. $\mu^4 <_{\Upsilon}^{\Delta} \nu^4$, and so ν^2 satisfies $\text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T})$ iff ν^4 is indeed \leq_{Υ}^{Δ} -minimal among the models of \mathcal{T} , as required. \square

¹²We refer to [Besnard et al. 2004] for a detailed description of quantified Boolean formulae, including some historical remarks and relevant complexity issues.

NOTE 5.10. As the QBF $\text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T})$ of the last proposition expresses minimization, it is clearly related to the notion of circumscription [McCarthy 1980], in which second-order formulae are usually used for expressing minimization. Indeed, an alternative way of regarding QBFs is as a particular class of second-order languages, where predicates are restricted to arity 0. We refer to Section 7, and in particular to Corollary 7.4, where we compare our approach to related works that use circumscription as the primary methods for encoding (multi-valued and preferential) entailments.

Proposition 5.9 immediately implies the following theorem and corollary, applied to finite sets \mathcal{T} , Δ of formulae in L .

THEOREM 5.11. $\mathcal{T} \models_{(\Upsilon, \Delta)}^4 \psi$ iff $\tau_1(\mathcal{T}), \text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T}) \models^2 \tau_1(\psi)$.

COROLLARY 5.12. $\mathcal{T} \models_{(\Upsilon, \Delta)}^4 \psi$ iff $\tau_1(\mathcal{T}_{\wedge}) \wedge \text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T}) \rightarrow \tau_1(\psi)$ is valid in the two-valued semantics.

EXAMPLE 5.13. Let $\mathcal{T} = \{p_1, \neg p_1, p_2\}$, $\Upsilon = \{\top\}$, and $\Delta = \mathcal{A}(\mathcal{T}) = \{p_1, p_2\}$. In this case, for every $p \in \Sigma$, $\Upsilon(p) = p^+ \wedge p^-$. Thus,

$$\begin{aligned} \text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T}) = & \forall q_1^+ q_1^- q_2^+ q_2^- \left(q_1^+ \wedge q_1^- \wedge q_2^+ \rightarrow \right. \\ & \left((q_1^+ \wedge q_1^-) \rightarrow (p_1^+ \wedge p_1^-) \right) \wedge \left((q_2^+ \wedge q_2^-) \rightarrow (p_2^+ \wedge p_2^-) \right) \rightarrow \\ & \left. \left((p_1^+ \wedge p_1^-) \rightarrow (q_1^+ \wedge q_1^-) \right) \wedge \left((p_2^+ \wedge p_2^-) \rightarrow (q_2^+ \wedge q_2^-) \right) \right). \end{aligned}$$

Both $\nu_1 = \{p_1^+ : t, p_1^- : t, p_2^+ : t, p_2^- : t\}$ and $\nu_2 = \{p_1^+ : t, p_1^- : t, p_2^+ : t, p_2^- : f\}$ satisfy $\tau_1(\mathcal{T}) = \{p_1^+, p_1^-, p_2^+\}$, but only ν_2 also satisfies $\text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T})$. The four-valued valuation that is associated with ν_2 is $\{p_1 : \top, p_2 : t\}$, and this indeed is the only \leq_{Υ}^{Δ} -minimal model of \mathcal{T} . Thus, for instance, $\mathcal{T} \not\models_{(\Upsilon, \Delta)}^4 \neg p_2$.

EXAMPLE 5.14. By Theorem 5.11, it is now possible to simulate the consequence relations of Example 5.5 by classical entailment. Indeed, if \mathcal{T}, Δ are finite sets of formulae in L , then

$\mathcal{T} \models_{\text{LPm}}^3 \psi$ iff $\tau_1(\mathcal{T} \cup \text{EM}(\mathcal{T})), \text{Min}(\leq_{\{\top\}}^{\mathcal{A}(\mathcal{T})}, \mathcal{T}) \models^2 \tau_1(\psi)$. Similarly for $\models_{\mathcal{I}_1}^4$.

$\mathcal{T} \models_{\mathcal{I}_2}^4 \psi$ iff $\tau_1(\mathcal{T}), \text{Min}(\leq_{\{\top, \perp\}}^{\mathcal{A}(\mathcal{T})}, \mathcal{T}) \models^2 \tau_1(\psi)$.

$\mathcal{T} \models_n \psi$ iff $\tau_1(\mathcal{T} \cup \text{EM}(\mathcal{T})), \text{Min}(\leq_{\{\top\}}^{\mathcal{T}}, \mathcal{T}) \models^2 \tau_1(\psi)$.

$\mathcal{T} \models^{\mathcal{P}} \psi$ where $\mathcal{P} = (\models^4, \leq_{\{\top, t\}}^{\Delta})$ iff $\tau_1(\mathcal{T}), \text{Min}(\leq_{\{\top, t\}}^{\Delta}, \mathcal{T}) \models^2 \tau_1(\psi)$.

5.4 Complexity

The representation theorems by signed formulae (Theorems 4.1 and 5.11) allow, in particular, to derive complexity results for the corresponding consequence relations. For instance, Theorem 4.1 and Corollary 4.5 show that the entailment problems for \models^4 , \models_{KL}^3 , and \models_{LP}^3 , can be reduced (using a polynomial-time transformation) to the problem of entailment in classical logic, which implies that the corresponding decision problems are in coNP (moreover, this fact, together with polynomial-time reductions from SAT, show the well-known result that these problems are actually

coNP-complete; see, e.g., [Cadoli and Schaerf 1996; Costa-Marquis and Marquis 2002; Konieczny and Marquis 2002]).

By Theorem 5.11 one can derive complexity results for the preferential versions of the above consequence relations (see also [Costa-Marquis and Marquis 2002; 2004] and [Konieczny and Marquis 2002] for related results about the computational complexity of some of these relations):

PROPOSITION 5.15. *The decision problems for $\models_{(\Upsilon, \Delta)}^4$ and $\models_{(\Upsilon, \Delta)}^3$ are in Π_2^P .*

PROOF. By Theorem 5.11, entailment of a theory \mathcal{T} w.r.t. $\models_{(\Upsilon, \Delta)}^4$ is equivalent to classical entailment checking w.r.t. $\tau_1(\mathcal{T}) \cup \{\text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T})\}$. Thus, this decision problem can be encoded by QBFs in prenex normal form with exactly one quantifier alternation (and requires a polynomial-time transformation). The proposition is obtained, now, by the following well-known result:

PROPOSITION 5.16. [Wrathall 1976] *Given a propositional formula ψ , whose atoms are partitioned into $i \geq 1$ sets $\{p_1^1, \dots, p_{m_1}^1\}, \dots, \{p_1^i, \dots, p_{m_i}^i\}$, deciding if*

$$\exists p_1^1, \dots, \exists p_{m_1}^1, \forall p_1^2, \dots, \forall p_{m_2}^2, \dots, \text{Q}p_1^i, \dots, \text{Q}p_{m_i}^i \psi$$

is true (where $\text{Q} = \exists$ if i is odd and $\text{Q} = \forall$ if i is even), is Σ_i^P -complete. Dually, deciding whether

$$\forall p_1^1, \dots, \forall p_{m_1}^1, \exists p_1^2, \dots, \exists p_{m_2}^2, \dots, \text{Q}p_1^i, \dots, \text{Q}p_{m_i}^i \psi$$

is true (where $\text{Q} = \forall$ if i is odd and $\text{Q} = \exists$ if i is even), is Π_i^P -complete.

For the three-valued case, note that \mathcal{T} has to be extended with the set $\text{EM}(\mathcal{T})$ or $\text{EFQ}(\mathcal{T})$ that forces three-valued assignments, but this does not change the complexity of the corresponding decision problems. \square

Note that under the usual assumptions of complexity theory, the complexity bound specified in the last corollary is *not* strict for *every* consequence relation of the form $\models_{(\Upsilon, \Delta)}^4$ and $\models_{(\Upsilon, \Delta)}^3$. For instance, when $\Delta = \emptyset$, consequence relations of the form $\models_{(\Upsilon, \Delta)}^4$ are the same as \models^4 , thus the corresponding decision problems are — as noted above — already in coNP (i.e., in Π_1^P). However, as shown in [Costa-Marquis and Marquis 2002; 2004], the decision problems for many other consequence relations of the form $\models_{(\Upsilon, \Delta)}^4$ and $\models_{(\Upsilon, \Delta)}^3$ are hard for Π_2^P . We refer to [Costa-Marquis and Marquis 2004] for a detailed proof of the Π_2^P -hardness of \models_{LPm}^3 , even in case that all the formulae are in conjunctive normal form. This also implies the hardness of $\models_{\mathcal{I}_1}^4$ and $\models_{\mathcal{I}_2}^4$, because of the following result:

PROPOSITION 5.17. [Arieli and Avron 1998] *Let \mathcal{T} be a set of formulae and ψ a formula in the language of $\{\neg, \wedge, \vee, \mathbf{t}, \mathbf{f}\}$. Then $\mathcal{T} \models_{\text{LPm}}^3 \psi$ iff $\mathcal{T} \models_{\mathcal{I}_2}^4 \psi$. If ψ is a formula in CNF, none of its conjuncts is a tautology, then we have, in addition, that $\mathcal{T} \models_{\text{LPm}}^3 \psi$ iff $\mathcal{T} \models_{\mathcal{I}_1}^4 \psi$.*

It follows, then, that the evaluation of the resulting QBFs for the consequence relations considered above resides in the same complexity class as the decision of the original problems!

6. GENERALIZATIONS

6.1 Reasoning with graded abnormality

The consequence relation $\models_{(\Upsilon, \Delta)}^4$ of Definition 5.4 can be generalized in several ways to capture other consequence relations considered in the literature. In this section we demonstrate one possible extension and show how to simulate, by signed QBFs and classical entailment, preferential reasoning with different levels of uncertainty.

DEFINITION 6.1. A partial order \prec on a set \mathcal{S} is called *modular* if $y \prec x_2$ for every $x_1, x_2, y \in \mathcal{S}$ s.t. $x_1 \not\prec x_2$, $x_2 \not\prec x_1$, and $y \prec x_1$.

Modular orders will be used here for grading uncertainty. As shown in [Lehmann and Magidor 1992], \prec is a modular order on \mathcal{S} iff there is a total order $<$ on a set \mathcal{S}' and a function $g: \mathcal{S} \rightarrow \mathcal{S}'$ s.t. $x_1 \prec x_2$ iff $g(x_1) < g(x_2)$. For a modular order \prec on $FOUR$, then, there is a partition $\Upsilon_1 \dots \Upsilon_m$ of $FOUR$ s.t. $x \prec y$ iff $x \in \Upsilon_i$, $y \in \Upsilon_j$, and $1 \leq i < j \leq m$.

Let \mathcal{T} and Δ be sets of formulae in L . Let \prec be a modular order on $FOUR$ and $\nu, \mu \in \text{mod}(\mathcal{T})$. Denote $\nu \prec^\Delta \mu$, if there is a $\psi \in \Delta$ s.t. $\nu(\psi) \prec \mu(\psi)$, and for every $\phi \in \Delta$ either $\nu(\phi) \prec \mu(\phi)$, or $\nu(\phi)$ and $\mu(\phi)$ are \prec -incomparable.

A valuation $\nu \in \text{mod}(\mathcal{T})$ is a \prec^Δ -minimal model of \mathcal{T} if there is no $\mu \in \text{mod}(\mathcal{T})$ s.t. $\mu \prec^\Delta \nu$. Denote $\mathcal{T} \models_{(\prec, \Delta)}^4 \psi$ if every \prec^Δ -minimal model of \mathcal{T} is a model of ψ .

EXAMPLE 6.2. The consequence relation $\models_{c_3}^4$, introduced in [Arieli 2003], is one example of formalisms for reasoning with graded uncertainty. In this case Δ consists of the atomic formulae, and the preferred (i.e., the \prec^Δ -minimal) models are determined according to a modular order \prec_{c_3} on $FOUR$ that has three ‘uncertainty levels’: t, f are the \prec_{c_3} -minimal elements, \perp is the \prec_{c_3} -intermediate value, and \top is the \prec_{c_3} -maximal (i.e., the most abnormal) one. Clearly, then, $\models_{c_3}^4$ is a particular case of $\models_{(\prec, \Delta)}^4$: for every set \mathcal{T} of formulae and a formula ψ is L , we have that $\mathcal{T} \models_{c_3}^4 \psi$ iff $\mathcal{T} \models_{(\prec_{c_3}, \mathcal{A}(\mathcal{T}))}^4 \psi$.

Consider, for instance, $\mathcal{T} = \{\neg q, (p \supset q) \vee (\neg q \supset \neg p), (\neg p \supset q) \vee (\neg q \supset p)\}$. This theory has three \prec_{c_3} -minimal models: $\nu_1 = \{p: \perp, q: f\}$, $\nu_2 = \{p: t, q: \top\}$, and $\nu_3 = \{p: f, q: \top\}$. Therefore, e.g., $\mathcal{T} \models_{(\prec_{c_3}, \mathcal{A}(\mathcal{T}))}^4 p \supset q$ and $\mathcal{T} \not\models_{(\prec_{c_3}, \mathcal{A}(\mathcal{T}))}^4 q \supset p$.

In order to simulate consequence relations such as $\models_{c_3}^4$ in our framework, it is necessary to extend Definition 5.1. In particular, Υ should be partitioned according to the underlying preference order.

DEFINITION 6.3. Let ν_1, ν_2 be two valuations, Δ a set of formulae, and $\vec{\Upsilon} = \Upsilon_{\prec} = \{\Upsilon_1, \Upsilon_2, \dots, \Upsilon_m\}$ – a partition of $FOUR$. Denote $\nu_1 \leq_{\vec{\Upsilon}}^{\Delta} \nu_2$ if the following conditions are satisfied:

$$\{\psi \in \Delta \mid \nu_2(\psi) \in \Upsilon_1\} \subseteq \{\psi \in \Delta \mid \nu_1(\psi) \in \Upsilon_1\},$$

$$\{\psi \in \Delta \mid \nu_2(\psi) \in \Upsilon_2\} \subseteq \{\psi \in \Delta \mid \nu_1(\psi) \in \Upsilon_1 \cup \Upsilon_2\},$$

...

$$\{\psi \in \Delta \mid \nu_2(\psi) \in \Upsilon_{m-1}\} \subseteq \{\psi \in \Delta \mid \nu_1(\psi) \in \Upsilon_1 \cup \dots \cup \Upsilon_{m-1}\}.$$

Denote by $\nu_1 <_{\vec{\Upsilon}}^{\Delta} \nu_2$ that $\nu_1 \leq_{\vec{\Upsilon}}^{\Delta} \nu_2$ and $\nu_2 \not\leq_{\vec{\Upsilon}}^{\Delta} \nu_1$. $\nu_1 \in \text{mod}(\mathcal{T})$ is a $\leq_{\vec{\Upsilon}}^{\Delta}$ -minimal model of \mathcal{T} if there is no $\nu_2 \in \text{mod}(\mathcal{T})$ s.t. $\nu_2 <_{\vec{\Upsilon}}^{\Delta} \nu_1$.

Preferential reasoning with graded uncertainty can now be defined in our context as follows.

DEFINITION 6.4. Denote $\mathcal{T} \models_{(\vec{\Upsilon}, \Delta)}^4 \psi$, if any $\leq_{\vec{\Upsilon}}^{\Delta}$ -minimal model of \mathcal{T} is a model of ψ .

The following proposition follows from the fact that $\nu_1 \prec^{\Delta} \nu_2$ iff $\nu_1 <_{\vec{\Upsilon}}^{\Delta} \nu_2$.

PROPOSITION 6.5. $\mathcal{T} \models_{(\prec, \Delta)}^4 \psi$ iff $\mathcal{T} \models_{(\vec{\Upsilon}, \Delta)}^4 \psi$.

EXAMPLE 6.6. Consider again the consequence relation of Example 6.2. Let $\Upsilon_1 = \{t, f\}$, $\Upsilon_2 = \{\perp\}$, $\Upsilon_3 = \{\top\}$, and $\vec{\Upsilon} = \{\Upsilon_1, \Upsilon_2, \Upsilon_3\}$. Then:

- (1) for every $\nu_1, \nu_2 \in \text{mod}(\mathcal{T})$, $\nu_1 \preceq_{c_3} \nu_2$ iff $\nu_1 \leq_{\vec{\Upsilon}}^{\mathcal{A}(\mathcal{T})} \nu_2$, and so
- (2) $\mathcal{T} \models_{c_3}^4 \psi$ iff $\mathcal{T} \models_{(\prec_{c_3}, \mathcal{A}(\mathcal{T}))}^4 \psi$ iff $\mathcal{T} \models_{(\vec{\Upsilon}, \mathcal{A}(\mathcal{T}))}^4 \psi$.

Note that, in fact, the definition of preferential reasoning with graded uncertainty (Definition 6.4) is a conservative extension of the definition of consequence relations for preferential reasoning (Definition 5.4):

PROPOSITION 6.7. For every consequence relation of the form $\models_{(\Upsilon, \Delta)}^4$ there is a partition $\vec{\Upsilon} = \{\Upsilon_1, \Upsilon_2\}$ of *FOUR*, such that $\models_{(\Upsilon, \Delta)}^4$ and $\models_{(\vec{\Upsilon}, \Delta)}^4$ coincide.

PROOF. Given $\Upsilon \subseteq \text{FOUR}$, let $\vec{\Upsilon} = \{\text{FOUR} - \Upsilon, \Upsilon\}$. By Definitions 5.1 and 6.3, for every two valuations ν_1 and ν_2 it holds that $\nu_1 <_{\vec{\Upsilon}}^{\Delta} \nu_2$ iff $\{\psi \in \Delta \mid \nu_1(\psi) \in \Upsilon\} \subseteq \{\psi \in \Delta \mid \nu_2(\psi) \in \Upsilon\}$, iff $\{\psi \in \Delta \mid \nu_2(\psi) \in \text{FOUR} - \Upsilon\} \subseteq \{\psi \in \Delta \mid \nu_1(\psi) \in \text{FOUR} - \Upsilon\}$, iff $\nu_1 <_{\vec{\Upsilon}}^{\Delta} \nu_2$. Thus, by Definitions 5.4 and 6.4, $\models_{(\Upsilon, \Delta)}^4$ and $\models_{(\vec{\Upsilon}, \Delta)}^4$ are identical. \square

The converse of the last proposition is not true; there are consequence relations of the form $\models_{(\vec{\Upsilon}, \Delta)}^4$ that are not the same as any consequence relation of the form $\models_{(\Upsilon, \Delta)}^4$. The consequence relation of Examples 6.2 and 6.6 is one example for that (in [Arieli 2003] it is shown that this consequence relation is different than any other four-valued consequence relation that is defined by a pointwise preferential order on *FOUR*). It follows, therefore, that consequence relations of the form $\models_{(\vec{\Upsilon}, \Delta)}^4$ may be divided into three nonempty classes of paraconsistent entailments:

- (1) when $\vec{\Upsilon}$ is the degenerated partition (i.e., $\vec{\Upsilon} = \{\text{FOUR}\}$), $\models_{(\vec{\Upsilon}, \Delta)}^4$ is the same as the monotonic consequence relation \models^4 ,
- (2) two-leveled partitions of *FOUR* induce the consequence relations of Section 5,
- (3) other consequence relations of the form $\models_{(\vec{\Upsilon}, \Delta)}^4$ have more than two levels of uncertainty.

The next step is to simulate reasoning with graded uncertainty by (signed) QBFs. For that, $\leq_{\vec{\Upsilon}}^{\Delta}$ -minimal valuations should be described by an appropriate signed QBF. In the remaining of this section, for keeping this QBF as simple as possible, we consider only the case where $\Delta = \mathcal{A}(\mathcal{T})$. However, similar results can be obtained for *any* finite set Δ of formulae in L (as in Proposition 5.9).

PROPOSITION 6.8. Let \mathcal{T} be a finite set of formulae in L , and let $\mathcal{A}^\pm(\mathcal{T}) = \{p_1, \dots, p_n\}$. Then ν^4 is a $\leq_{\vec{\Upsilon}}^{\mathcal{A}(\mathcal{T})}$ -minimal model of \mathcal{T} , where $\vec{\Upsilon} = \{\Upsilon_1, \Upsilon_2, \dots, \Upsilon_m\}$ is a partition of *FOUR*, iff the two-valued valuation ν^2 that is associated with ν^4 is a model of $\tau_1(\mathcal{T})$ and the following signed QBF, denoted $\text{Min}(\leq_{\vec{\Upsilon}}^{\mathcal{A}(\mathcal{T})}, \mathcal{T})$:

$$\forall q_1, \dots, q_n \left(\tau_1(\mathcal{T}_\wedge) \left[q_1/p_1, \dots, q_n/p_n \right] \longrightarrow \right. \\ \left. \left(\bigwedge_{i=1}^n \left(\left(\Upsilon_1(p_i) \rightarrow \Upsilon_1(q_i) \right) \wedge \dots \wedge \left(\Upsilon_{m-1}(p_i) \rightarrow \bigvee_{j=1}^{m-1} \Upsilon_j(q_i) \right) \right) \longrightarrow \right. \right. \\ \left. \left. \bigwedge_{i=1}^n \left(\left(\Upsilon_1(q_i) \rightarrow \Upsilon_1(p_i) \right) \wedge \dots \wedge \left(\Upsilon_{m-1}(q_i) \rightarrow \bigvee_{j=1}^{m-1} \Upsilon_j(p_i) \right) \right) \right) \right).$$

PROOF. Again, we denote by $(\{r_1, \dots, r_n\} : \mu_1, \{s_1, \dots, s_m\} : \mu_2)$ a valuation that interprets the symbols in $\{r_1, \dots, r_n\}$ according to μ_1 and the symbols in $\{s_1, \dots, s_m\}$ according to μ_2 . Now, the proof is similar to that of Proposition 5.9, using the fact that $\mu_1^4 \leq_{\vec{\Upsilon}}^{\mathcal{A}} \mu_2^4$ iff the valuation $(\{r_1, \dots, r_n\} : \mu_1^2, \{s_1, \dots, s_m\} : \mu_2^2)$ satisfies

$$\bigwedge_{i=1}^n \left(\left(\Upsilon_1(s_i) \rightarrow \Upsilon_1(r_i) \right) \wedge \dots \wedge \left(\Upsilon_{m-1}(s_i) \rightarrow \bigvee_{j=1}^{m-1} \Upsilon_j(r_i) \right) \right),$$

where μ_1^2 and μ_2^2 are the two-valued interpretations that are induced by μ_1^4 and μ_2^4 , respectively. \square

By Proposition 6.8, for a finite set of formulae \mathcal{T} and a formula ψ in L , we have:

PROPOSITION 6.9. $\mathcal{T} \models_{(\vec{\Upsilon}, \mathcal{A}(\mathcal{T}))}^4 \psi$ iff $\tau_1(\mathcal{T}), \text{Min}(\leq_{\vec{\Upsilon}}^{\mathcal{A}(\mathcal{T})}, \mathcal{T}) \models^2 \tau_1(\psi)$.

COROLLARY 6.10. $\mathcal{T} \models_{(\neg, \mathcal{A}(\mathcal{T}))}^4 \psi$ iff $\tau_1(\mathcal{T}), \text{Min}(\leq_{\vec{\Upsilon}}^{\mathcal{A}(\mathcal{T})}, \mathcal{T}) \models^2 \tau_1(\psi)$.

PROOF. By propositions 6.5 and 6.9. \square


The last results imply that the decision problem for consequence relations with graded abnormality remains in the second level of the polynomial hierarchy (cf. Proposition 5.15).

PROPOSITION 6.11. The decision problem for $\models_{(\vec{\Upsilon}, \mathcal{A}(\mathcal{T}))}^4$ is in Π_2^P .

PROOF. Similar to that of Proposition 5.15, using Proposition 6.9. \square

Again, as noted in Section 5.4, Π_2^P is not a strict bound for every decision problem of entailments of the form $\models_{(\vec{\Upsilon}, \mathcal{A}(\mathcal{T}))}^4$ (for instance, when $\vec{\Upsilon} = \{\text{FOUR}\}$, $\models_{(\vec{\Upsilon}, \mathcal{A}(\mathcal{T}))}^4$ is equivalent to \models^4 , the decision problem of which is in Π_1^P). However, as noted in the paragraph below the proof of Proposition 5.15, many decision problems for consequence relations of the form $\models_{(\vec{\Upsilon}, \mathcal{A}(\mathcal{T}))}^4$ (which are, by Proposition 6.7, also of the form $\models_{(\vec{\Upsilon}, \mathcal{A}(\mathcal{T}))}^4$) are hard for Π_2^P . Below we give one more example:

PROPOSITION 6.12. The decision problem for $\models_{c_3}^4$ is Π_2^P -complete.


 Fig. 2. $THREE \odot THREE$

PROOF. In Section 5.4 we have shown that the decision problem for $\models_{\mathcal{I}_2}^4$ is hard for Π_2^P even when all the formulae are in CNF. The claim now follows from Example 6.6 and Proposition 6.11 (which imply that $\models_{c_3}^4$ is in Π_2^P), together with the fact, shown in [Arieli 2003], that in the language of $\{\neg, \wedge, \vee, t, f\}$ it holds that $\mathcal{T} \models_{c_3}^4 \psi$ iff $\mathcal{T} \models_{\mathcal{I}_2}^4 \psi$ (which implies that $\models_{c_3}^4$ is hard for Π_2^P). \square

Other generalizations of Definition 5.1 could be useful as well. For instance, the set Δ may contain formulae with different levels of abnormality, in which case it should be graded. Again, it is possible to simulate reasoning with corresponding consequence relations by signed QBFs just as described above for cases in which Υ is graded.

6.2 Beyond four-valued semantics

In this section we show that by using the same techniques as those introduced above, it is possible to perform preferential reasoning in general multiple-valued logics (having *arbitrarily many* truth values). For instance, default reasoning in the context of nine-valued semantics [Arieli and Avron 1996] (see Figure 2) may be simulated though either Kleene’s three-valued logic [Kleene 1950] or Priest’s three-valued logic LP [Priest 1989; 1991] (see Example 6.22 below). Essentially, we do so by repeating the same process as described before, using signed formulae for the basic entailment, and quantified Boolean formulae for expressing the preferential semantics. Below are the details.

6.2.1 The lattice-valued setting. Consider a complete lattice $\mathfrak{L} = (\mathcal{L}, \leq_{\mathcal{L}})$ with a negation operator \neg .¹³ Let $\mathcal{D}_{\mathfrak{L}}$ be the set of the designated elements of \mathcal{L} . As usual in multiple-valued logics (and as we did in the case of \mathcal{FOUR}), we require that $\mathcal{D}_{\mathfrak{L}}$ would be a *filter* in \mathfrak{L} , namely: it is a nonempty proper subset of \mathcal{L} s.t. for every $x, y \in \mathcal{L}$, $x \wedge y \in \mathcal{D}_{\mathfrak{L}}$ iff $x \in \mathcal{D}_{\mathfrak{L}}$ and $y \in \mathcal{D}_{\mathfrak{L}}$. If, in addition, for every $x, y \in \mathcal{L}$,

¹³That is, for every $x, y \in \mathcal{L}$, $x \leq_{\mathcal{L}} y$ iff $\neg y \leq_{\mathcal{L}} \neg x$, and for every $x \in \mathcal{L}$, $\neg \neg x = x$.

$x \vee y \in \mathcal{D}_{\mathfrak{L}}$ iff $x \in \mathcal{D}_{\mathfrak{L}}$ or $y \in \mathcal{D}_{\mathfrak{L}}$, then $\mathcal{D}_{\mathfrak{L}}$ is a *prime* filter in \mathcal{L} . Note that by its definition $\mathcal{D}_{\mathfrak{L}}$ is $\leq_{\mathcal{L}}$ -upwards closed, and so $\max(\mathcal{L}) \in \mathcal{D}_{\mathfrak{L}}$ while $\min(\mathcal{L}) \notin \mathcal{D}_{\mathfrak{L}}$.

Now, the connectives of the language L are defined by the corresponding operators on \mathcal{L} : conjunction, disjunction, and negation correspond, respectively, to the meet, join, and negation operators on \mathcal{L} ; the definition of the implication connective \supset depends, as in the case of *FOUR*, on the choice of the designated elements: $x \supset y = \max(\mathcal{L})$ if $x \notin \mathcal{D}_{\mathfrak{L}}$, otherwise $x \supset y = y$.

The other semantical notions and the corresponding consequence relations are now defined in the obvious way:

- A (multiple-valued) *valuation* ν is a function that assigns an element of \mathcal{L} to each atomic formula in Σ . A valuation is extended to complex formulae in the standard way: $\nu(\neg\psi) = \neg\nu(\psi)$, $\nu(\psi \wedge \phi) = \nu(\psi) \wedge \nu(\phi)$, $\nu(\psi \vee \phi) = \nu(\psi) \vee \nu(\phi)$, and $\nu(\psi \supset \phi) = \nu(\psi) \supset \nu(\phi)$.
- A valuation ν *satisfies* a formula ψ if $\nu(\psi) \in \mathcal{D}_{\mathfrak{L}}$.
- A valuation ν is a *model* of \mathcal{T} if it satisfies every formula in \mathcal{T} . We shall continue to denote by $\text{mod}(\mathcal{T})$ the set of the models of \mathcal{T} .

A natural definition for a consequence relation w.r.t. this \mathcal{L} -valued semantics is the following.

DEFINITION 6.13. Let \mathfrak{L} be a lattice and $\mathcal{D}_{\mathfrak{L}}$ a prime filter in it. For a set \mathcal{T} of formulae and a formula ψ , denote $\mathcal{T} \models^{\mathfrak{L}, \mathcal{D}_{\mathfrak{L}}} \psi$ if every model of \mathcal{T} is a model of ψ .

Common examples of logics that are obtained from the definitions above are classical logic (where \mathfrak{L} is the two-valued lattice $(\{t, f\}, f <_{\mathcal{L}} t)$ and $\mathcal{D}_{\mathfrak{L}} = \{t\}$), Kleene's three-valued logic [Kleene 1950] (where \mathfrak{L} is the three-valued lattice $(\{t, f, \perp\}, f \leq_{\mathcal{L}} \perp \leq_{\mathcal{L}} t)$ and $\mathcal{D}_{\mathfrak{L}} = \{t\}$), Priest's three-valued logic [Priest 1989] (where \mathfrak{L} is the three-valued lattice $(\{t, f, \top\}, f \leq_{\mathcal{L}} \top \leq_{\mathcal{L}} t)$ and $\mathcal{D}_{\mathfrak{L}} = \{t, \top\}$), and Belnap's four-valued logic, defined in Section 2. Note that the former two logics are *not* paraconsistent while the latter two are paraconsistent.

6.2.2 The bilattice-valued setting. In previous sections we have reduced four-valued paraconsistent reasoning to classical entailment by 'splitting' syntactical and semantical objects (e.g., the alphabet, the truth values, and the truth assignments) to their positive and negative counterparts. The same idea can be applied here, this time on the \mathfrak{L} -valued setting. This leads us to the following construct:

DEFINITION 6.14. [Ginsberg 1988] Let $\mathfrak{L} = (\mathcal{L}, \leq_{\mathcal{L}})$ be a complete lattice. The structure $\mathfrak{L} \odot \mathfrak{L} = (\mathcal{L} \times \mathcal{L}, \leq_t, \leq_k, \neg)$ consists of pairs of elements from \mathcal{L} that are arranged in two complete lattice structures as follows:

- $(\mathcal{L} \times \mathcal{L}, \leq_t)$, where $(x_1, y_1) \leq_t (x_2, y_2)$ iff $x_1 \leq_{\mathcal{L}} x_2$ and $y_1 \geq_{\mathcal{L}} y_2$
- $(\mathcal{L} \times \mathcal{L}, \leq_k)$, where $(x_1, y_1) \leq_k (x_2, y_2)$ iff $x_1 \leq_{\mathcal{L}} x_2$ and $y_1 \leq_{\mathcal{L}} y_2$

The unary operation \neg is defined on $\mathcal{L} \times \mathcal{L}$ by $\neg(x, y) = (y, x)$.

Figures 1 and 2 above show two structures that are particular cases of Definition 6.14, where \mathfrak{L} is a chain of two and three elements, respectively. The structure that $\mathfrak{L} \odot \mathfrak{L}$ forms is called *bilattice* [Fitting 1990; Ginsberg 1988], denoting that the set of truth values is simultaneously arranged in two (related) lattice structures. As in the four-valued case, a truth value $(x, y) \in \mathfrak{L} \odot \mathfrak{L}$ may intuitively be understood

so that x represents the amount of evidence *for* an assertion, while y represents the amount of evidence *against* it. It is easy to verify that the basic \leq_t -operators are defined in the same way as in *FOUR*, namely that for every $x_1, x_2, y_1, y_2 \in \mathcal{L}$,

$$\begin{aligned} (x_1, y_1) \vee (x_2, y_2) &= (x_1 \vee x_2, y_1 \wedge y_2), \\ (x_1, y_1) \wedge (x_2, y_2) &= (x_1 \wedge x_2, y_1 \vee y_2). \end{aligned} \quad {}^{14}$$

Also, the \leq_k -minimal element of $\mathcal{L} \odot \mathcal{L}$ is $(\min(\mathcal{L}), \min(\mathcal{L}))$, the \leq_k -maximal one is $(\max(\mathcal{L}), \max(\mathcal{L}))$, the \leq_t -minimal element is $(\min(\mathcal{L}), \max(\mathcal{L}))$, and the \leq_t -maximal one is $(\max(\mathcal{L}), \min(\mathcal{L}))$.

Clearly, the structure of Definition 6.14 is a natural extension of Belnap's four-valued structure. As before, we denote by $\mathcal{D}_{\mathcal{L} \odot \mathcal{L}}$ a (fixed) set of designated values of $\mathcal{L} \odot \mathcal{L}$, which is a filter of $\mathcal{L} \times \mathcal{L}$. The other semantical notions are defined accordingly.

Given a bilattice $\mathcal{L} \odot \mathcal{L}$ and a (prime) filter $\mathcal{D}_{\mathcal{L} \odot \mathcal{L}}$ of it, one may define a corresponding consequence relation in a way similar to the lattice-valued case:

DEFINITION 6.15. $\mathcal{T} \models^{\mathcal{L} \odot \mathcal{L}, \mathcal{D}_{\mathcal{L} \odot \mathcal{L}}} \psi$ if every $\mathcal{L} \times \mathcal{L}$ -valued model of \mathcal{T} (w.r.t. $\mathcal{D}_{\mathcal{L} \odot \mathcal{L}}$) is also a model of ψ .

The preferential derivative of $\models^{\mathcal{L} \odot \mathcal{L}, \mathcal{D}_{\mathcal{L} \odot \mathcal{L}}}$ is defined as follows (cf. Definition 5.4).

DEFINITION 6.16. Let Δ be a set of formulae in L , and $\Upsilon \subseteq \mathcal{L} \times \mathcal{L}$.

- (1) Define a relation \leq_{Υ}^{Δ} on $\mathcal{L} \times \mathcal{L}$ -valued valuations as in Definitions 5.1 and 5.2:
 - (a) for two valuations ν_1 and ν_2 into $\mathcal{L} \times \mathcal{L}$, we denote $\nu_1 \leq_{\Upsilon}^{\Delta} \nu_2$ (ν_1 is Υ -preferred to ν_2 w.r.t. Δ) if $\{\psi \in \Delta \mid \nu_1(\psi) \in \Upsilon\} \subseteq \{\psi \in \Delta \mid \nu_2(\psi) \in \Upsilon\}$. We write $\nu_1 <_{\Upsilon}^{\Delta} \nu_2$ if $\nu_1 \leq_{\Upsilon}^{\Delta} \nu_2$ and $\nu_2 \not\leq_{\Upsilon}^{\Delta} \nu_1$.
 - (b) A valuation $\nu \in \text{mod}(\mathcal{T})$ is a \leq_{Υ}^{Δ} -minimal model of \mathcal{T} if there is no model μ of \mathcal{T} such that $\mu <_{\Upsilon}^{\Delta} \nu$.
- (2) $\mathcal{T} \models_{(\Upsilon, \Delta)}^{\mathcal{L} \odot \mathcal{L}, \mathcal{D}_{\mathcal{L} \odot \mathcal{L}}} \psi$ if every \leq_{Υ}^{Δ} -minimal ($\mathcal{L} \times \mathcal{L}$ -valued) model of \mathcal{T} (w.r.t. $\mathcal{D}_{\mathcal{L} \odot \mathcal{L}}$) is also a model of ψ .

EXAMPLE 6.17. Consider again \mathcal{T}_1 of Example 5.3 and the bilattice $\mathcal{T}\mathcal{H}\mathcal{R}\mathcal{E}\mathcal{E} \odot \mathcal{T}\mathcal{H}\mathcal{R}\mathcal{E}\mathcal{E}$ (Figure 2) with $\mathcal{D}_{\mathcal{T}\mathcal{H}\mathcal{R}\mathcal{E}\mathcal{E} \odot \mathcal{T}\mathcal{H}\mathcal{R}\mathcal{E}\mathcal{E}} = \{(x, y) \mid (x, y) \geq_k (1, 0)\}$. Suppose that one wants to consider only the models of \mathcal{T}_1 that are 'as consistent as possible' (that is, the models of \mathcal{T}_1 that assign either true, $(1, 0)$, or false, $(0, 1)$, to a maximal amount of atomic formulae that appear in the premise formulae). In this case, $\Upsilon = \mathcal{T}\mathcal{H}\mathcal{R}\mathcal{E}\mathcal{E} \times \mathcal{T}\mathcal{H}\mathcal{R}\mathcal{E}\mathcal{E} - \{(1, 0), (0, 1)\}$ and $\Delta = \mathcal{A}(\mathcal{T}_1)$. Now, abbreviate by 9 the pair $(\mathcal{T}\mathcal{H}\mathcal{R}\mathcal{E}\mathcal{E} \odot \mathcal{T}\mathcal{H}\mathcal{R}\mathcal{E}\mathcal{E}, \mathcal{D}_{\mathcal{T}\mathcal{H}\mathcal{R}\mathcal{E}\mathcal{E} \odot \mathcal{T}\mathcal{H}\mathcal{R}\mathcal{E}\mathcal{E}})$. Then, for instance,

$$\begin{aligned} \mathcal{T}_1 \models_{(\Upsilon, \Delta)}^9 p, \quad \mathcal{T}_1 \models_{(\Upsilon, \Delta)}^9 q, \quad \mathcal{T}_1 \models_{(\Upsilon, \Delta)}^9 s, \quad \mathcal{T}_1 \not\models_{(\Upsilon, \Delta)}^9 r, \\ \mathcal{T}_1 \models_{(\Upsilon, \Delta)}^9 \neg p, \quad \mathcal{T}_1 \not\models_{(\Upsilon, \Delta)}^9 \neg q, \quad \mathcal{T}_1 \not\models_{(\Upsilon, \Delta)}^9 \neg s, \quad \mathcal{T}_1 \not\models_{(\Upsilon, \Delta)}^9 \neg r. \end{aligned}$$

¹⁴It worth noting that the \leq_k -join \oplus and the \leq_k -meet \otimes in $\mathcal{L} \odot \mathcal{L}$ have similar definitions. For every $x_1, x_2, y_1, y_2 \in \mathcal{L}$, $(x_1, y_1) \oplus (x_2, y_2) = (x_1 \vee x_2, y_1 \vee y_2)$ and $(x_1, y_1) \otimes (x_2, y_2) = (x_1 \wedge x_2, y_1 \wedge y_2)$. These operators, nevertheless, will not play an important role in what follows.

6.2.3 *Relating the two settings.* In what follows we fix some complete lattice $\mathfrak{L} = (\mathcal{L}, \leq_L)$ with a prime filter $\mathcal{D}_{\mathfrak{L}}$, and consider the associated bilattice $\mathfrak{L} \odot \mathfrak{L}$ with a set of designated elements $\mathcal{D} = \mathcal{D}_{\mathcal{L}} \times \mathcal{L}$ of $\mathcal{L} \times \mathcal{L}$. Note that \mathcal{D} is a legitimate choice of a set of designated elements due to the following result:

PROPOSITION 6.18. [Arieli and Avron 2000, Proposition 14] *$\mathcal{D}_{\mathfrak{L}}$ is a (prime) filter in \mathfrak{L} iff $\mathcal{D}_{\mathcal{L}} \times \mathcal{L}$ is a (prime) filter in $\mathcal{L} \times \mathcal{L}$.*

We again start with the basic consequence relations of these settings and then turn to the preferential cases.

THEOREM 6.19. $\mathcal{T} \models^{\mathfrak{L} \odot \mathfrak{L}, \mathcal{D}} \psi$ iff $\tau_1(\mathcal{T}) \models^{\mathfrak{L}, \mathcal{D}_{\mathfrak{L}}} \tau_1(\psi)$.

PROOF (OUTLINE). Essentially, we repeat the process described in Section 3, and extend the corresponding results to the (bi)lattice-valued case.

As in Definition 3.1, we define a signed alphabet Σ^{\pm} for a given alphabet Σ . Then, \mathcal{L} -valuations ($\nu^{\mathcal{L}}$) and $\mathcal{L} \times \mathcal{L}$ -valuations ($\nu^{\mathcal{L} \times \mathcal{L}}$) are associated with each other, exactly like the two- and the four-valued case (see again Definition 3.1). By induction on the structure of the formulae in the language L , one can show that if $\nu^{\mathcal{L}}$ is induced by $\nu^{\mathcal{L} \times \mathcal{L}}$ or $\nu^{\mathcal{L} \times \mathcal{L}}$ is induced by $\nu^{\mathcal{L}}$, then for every formula ψ ,

$$\nu^{\mathcal{L} \times \mathcal{L}}(\psi) = (\nu^{\mathcal{L}}(\tau_1(\psi)), \nu^{\mathcal{L}}(\tau_2(\psi))),$$

where the τ_i transformation ($i = 1, 2$) are the same ones as those of Definition 3.2 (see the proof of Proposition 3.4). By the last equation, then,

$$\begin{aligned} \nu^{\mathcal{L} \times \mathcal{L}}(\psi) \in \mathcal{D} = \mathcal{D}_{\mathcal{L}} \times \mathcal{L} &\text{ iff } \nu^{\mathcal{L}}(\tau_1(\psi)) \in \mathcal{D}_{\mathcal{L}}, \\ \nu^{\mathcal{L} \times \mathcal{L}}(\neg\psi) \in \mathcal{D} &\text{ iff } \nu^{\mathcal{L}}(\tau_2(\psi)) \in \mathcal{D}_{\mathcal{L}}, \end{aligned}$$

which means that $\nu^{\mathcal{L} \times \mathcal{L}}$ satisfies ψ iff $\nu^{\mathcal{L}}$ satisfies $\tau_1(\psi)$, and $\nu^{\mathcal{L} \times \mathcal{L}}$ satisfies $\neg\psi$ iff $\nu^{\mathcal{L}}$ satisfies $\tau_2(\psi)$ (cf. Corollary 3.6). It follows that there is a one-to-one correspondence between the $\mathcal{L} \times \mathcal{L}$ -valued models of \mathcal{T} (w.r.t. \mathcal{D}) and the \mathcal{L} -valued models of $\tau_1(\mathcal{T})$ (w.r.t. $\mathcal{D}_{\mathcal{L}}$), and so we are done. \square

We turn now to the preferential case. Again, paraconsistent preferential reasoning in $\mathfrak{L} \odot \mathfrak{L}$ may be simulated in \mathfrak{L} by signed QBFs in a way which is similar to the one described in Section 5.3. The only difference is that unlike the four-valued case, it is not possible to represent every element in $\mathcal{L} \times \mathcal{L}$ by a formula in L (i.e., it is not necessarily possible to define formulae val , like those of Definition 3.7, that satisfy the property of Proposition 3.8), so it is not always possible to define formulae $\Upsilon(\psi)$ that hold iff the truth value of ψ is in Υ (see Note 5.7). We therefore have to impose the following restriction on the choice of Υ .

DEFINITION 6.20. Given a bilattice $\mathfrak{L} \odot \mathfrak{L}$ and a filter \mathcal{F} in $\mathcal{L} \times \mathcal{L}$, consider the following partition of $\mathcal{L} \times \mathcal{L}$:

$$\begin{aligned} \mathfrak{T}_t &= \{x \in \mathcal{L} \times \mathcal{L} \mid x \in \mathcal{F}, \neg x \notin \mathcal{F}\}, & \mathfrak{T}_f &= \{x \in \mathcal{L} \times \mathcal{L} \mid x \notin \mathcal{F}, \neg x \in \mathcal{F}\}, \\ \mathfrak{T}_{\top} &= \{x \in \mathcal{L} \times \mathcal{L} \mid x \in \mathcal{F}, \neg x \in \mathcal{F}\}, & \mathfrak{T}_{\perp} &= \{x \in \mathcal{L} \times \mathcal{L} \mid x \notin \mathcal{F}, \neg x \notin \mathcal{F}\}. \end{aligned}$$

A set $\Upsilon \subseteq \mathcal{L} \times \mathcal{L}$ is called *perceptive*, if for every $c \in \{t, f, \top, \perp\}$, either $\mathfrak{T}_c \subseteq \Upsilon$ or $\Upsilon \cap \mathfrak{T}_c = \emptyset$.

Consider again the signed QBF $\text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T})$, introduced in Proposition 5.9 for a theory \mathcal{T} and fixed sets Δ, Υ . The analogue of Theorem 5.11 is now the following:

THEOREM 6.21. *Let \mathcal{T}, Δ be finite sets of formulae in L , and Υ a nonempty perceptive subset of $\mathcal{L} \times \mathcal{L}$. Then $\mathcal{T} \models_{(\Upsilon, \Delta)}^{\mathfrak{L} \odot \mathfrak{L}, \mathcal{D}} \psi$ iff $\tau_1(\mathcal{T}), \text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T}) \models^{\mathfrak{L}, \mathcal{D}_{\mathfrak{L}}} \tau_1(\psi)$.*

PROOF (OUTLINE). In the proof of Theorem 6.19 we have shown that if $\nu^{\mathcal{L}}$ is induced by $\nu^{\mathcal{L} \times \mathcal{L}}$ or $\nu^{\mathcal{L} \times \mathcal{L}}$ is induced by $\nu^{\mathcal{L}}$, then for every formula ψ , $\nu^{\mathcal{L} \times \mathcal{L}}$ satisfies ψ iff $\nu^{\mathcal{L}}$ satisfies $\tau_1(\psi)$, and $\nu^{\mathcal{L} \times \mathcal{L}}$ satisfies $\neg\psi$ iff $\nu^{\mathcal{L}}$ satisfies $\tau_2(\psi)$. In the notations of Definition 3.7, then, for every formulae ψ and every $c \in \{t, f, \top, \perp\}$, $\nu^{\mathcal{L} \times \mathcal{L}}(\psi) \in \mathfrak{I}_c$ iff $\nu^{\mathcal{L}}$ satisfies $\text{val}(\psi, c)$ (the proof of this is similar to that of Proposition 3.8, using the fact that $\mathcal{D}_{\mathfrak{L}}$ is a filter in \mathfrak{L}). Now, Υ is a nonempty perceptive subset of $\mathcal{L} \times \mathcal{L}$, so there are elements $c_1, \dots, c_k \in \{t, f, \top, \perp\}$ such that $\Upsilon = \mathfrak{I}_{c_1} \cup \dots \cup \mathfrak{I}_{c_k}$. Let $\Upsilon(\psi) = \text{val}(\psi, c_1) \vee \dots \vee \text{val}(\psi, c_k)$. We have that $\nu^{\mathcal{L} \times \mathcal{L}}(\psi) \in \Upsilon$, iff $\nu^{\mathcal{L} \times \mathcal{L}}(\psi) \in \mathfrak{I}_c$ for some $c \in \{c_1, \dots, c_k\}$, iff $\nu^{\mathcal{L}}(\text{val}(\psi, c)) \in \mathcal{D}_{\mathfrak{L}}$ for the same $c \in \{c_1, \dots, c_k\}$, iff $\nu^{\mathcal{L}}$ satisfies $\Upsilon(\psi)$ ¹⁵ (cf. Note 5.7). This implies that $\nu^{\mathcal{L} \times \mathcal{L}}$ is a \leq_{Υ}^{Δ} -minimal model of \mathcal{T} iff $\nu^{\mathcal{L}}$ is a model of $\tau_1(\mathcal{T})$ and $\text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T})$ (the proof of this is completely analogous to that of Proposition 5.9, using the fact that we have shown that for a perceptive set Υ , Proposition 3.9-(2) and Note 5.7 are both valid in the $\mathcal{L} \times \mathcal{L}$ -case as well). \square

EXAMPLE 6.22. Consider again the bilattice $\text{THREE} \odot \text{THREE}$ of Figure 2. This structure may be used, e.g., for default reasoning (where the values $(\frac{1}{2}, 0)$ and $(0, \frac{1}{2})$ stand for ‘true by default’ and ‘false by default’, respectively; see e.g. [Arieli and Avron 1996; 1998]). This structure has two sets that are prime filters with respect to both \leq_t and \leq_k , namely $\mathcal{D}_1 = \{(x_1, x_2) \mid (x_1, x_2) \geq_k (1, 0)\}$ and $\mathcal{D}_2 = \{(x_1, x_2) \mid (x_1, x_2) \geq_k (\frac{1}{2}, 0)\}$. These sets are, therefore, natural candidates for being the set of the designated elements. Note, moreover, that $\mathcal{D}_1 = \{1\} \times \{0, \frac{1}{2}, 1\}$ and $\mathcal{D}_2 = \{1, \frac{1}{2}\} \times \{0, \frac{1}{2}, 1\}$. By Theorems 6.19 and 6.21, then, (preferential) reasoning with $\text{THREE} \odot \text{THREE}$ and \mathcal{D}_1 can be simulated in THREE with $\mathcal{D}_{\text{THREE}} = \{1\}$ (a setting that corresponds to Kleene’s three-valued logic), while (preferential) reasoning with $\text{THREE} \odot \text{THREE}$ and \mathcal{D}_2 can be simulated in THREE with $\mathcal{D}_{\text{THREE}} = \{1, \frac{1}{2}\}$ (a setting that corresponds to Priest’s three-valued logic LP).

7. RELATED WORKS

A key issue in our approach is the encoding of many-valued logics in terms of two-valued classical logic by means of signed formulae. Such formulae were introduced by Besnard and Schaub [1996; 1998] as syntax-independent paraconsistent reasoning systems. A similar idea is used in [Arieli and Denecker 2002; 2003], and [Besnard et al. 2003], where different transformations of formulae to signed formulae are considered for reducing multiple-valued entailments to classical entailments. We find the τ -transformations used here (Definition 3.2) somewhat more natural and general for the conversions to signed theories, as three-valued semantics is inherent in the formalism of [Besnard et al. 2003] (this is implied by Definition 1 in that paper), and the language considered in [Arieli and Denecker 2002; 2003] is not functionally complete.

The use of QBF axiomatic theories for representing preferred models is another fundamental ingredient of our approach. Using QBFs for knowledge representation

¹⁵Here we are using the fact that $\mathcal{D}_{\mathfrak{L}}$ is a *prime* filter in \mathfrak{L} .

and reasoning is proposed by Egly, Eiter, Tompits and Woltran [2000] who showed that several major problems from propositional nonmonotonic reasoning can be translated into QBFs and resolved by the QBF-based system QUIP. Quantified propositional logic for paraconsistent reasoning has been independently considered in the preliminary version of this paper [Arieli 2004] and by Besnard et al., who defined a variety of paraconsistent consequence relations by means of default logic [Besnard et al. 2002] and showed how to circumscribe inconsistent theories in the context of three-valued logics [Besnard et al. 2003] (see also [Besnard et al. 2004] for a survey on these and related methods). Although the QBF axiomatic theories in [Besnard et al. 2003] are different than ours, in both cases the formulae are obtained from the original theories by an effective and efficient (polynomial-time constructible) encoding. Moreover, when the complexity bounds given in Propositions 5.15 and 6.11 for the underlying consequence relations are strict, determining the validity of the QBFs resulting from the transformations is not computationally harder than checking inferences with respect to those consequence relations.¹⁶

The main difference between the approach in this paper and that of [Besnard et al. 2003] concerns with the representation level. While the encoding used by Besnard et al. [2003] is sensitive to the underlying three-valued semantic and the inter-relations among its elements, here the role of the truth values is somewhat more transparent. As a consequence, our formalism can be generalized relatively easily, as one can verify by comparing the computation of the basic four-valued entailment (Theorem 4.1) to that of the lattice-valued entailment (Theorem 6.19), or by relating the simulation of preferential entailments (Theorem 5.11) to the reasoning process with their graded extensions (Proposition 6.9). Similar generalizations are less natural in case of the formalism of Besnard et al. [2003]. For instance, switching from the axiomatization of Priest's three-valued logic \models_{LP}^3 (which is the basic three-valued entailment considered in [Besnard et al. 2003]) to the axiomatization of Kleene's three-valued logic \models_{K1}^3 requires, according to the approach of [Besnard et al. 2003], a modification in the parametrized translation to signed formulae, while in our case the same transformation is appropriate for both logics (Corollary 4.5), as well as for their generalizations to logics with more truth values and/or with preferential semantics. Now, as the consequence relations considered in [Besnard et al. 2003] are particular cases of those conveyed by Definition 5.4, our formalism may be viewed as an alternative approach for simulating the three-valued consequence relations considered in [Besnard et al. 2003], which is tolerant to refinements of the preference criteria at hand, and offers a simple way of generalizing the underlying semantics to algebraic structures with arbitrarily many truth values.

Another approach for reducing (multiple-valued) preferential reasoning to (higher-order) classical propositional logic is considered in [Arieli and Denecker 2003]. This approach expresses preferences in terms of second-order formulae, so (instead of QBF solvers) algorithms for processing circumscriptive theories (i.e., reducing second-order formulae to their first-order equivalents) are needed in order to imple-

¹⁶For instances of those relations that have lower complexity than Π_2^P , efficient reductions to classical logic are more appropriate; see, e.g., [Arieli and Denecker 2002; 2003].

ment preferential reasoning. In the propositional case, a circumscriptive encoding is given in [Egly et al. 2000] (see also [Lifschitz 1985]). As both methods have the same origin (namely, second-order languages, see Note 5.10) this duality is quite natural. Below we formulate the exact relation between the present approach and the circumscription-based approach of Arieli and Denecker [2003] w.r.t. the propositional fragment of L (i.e., the language without ‘ \supset ’).¹⁷

Define the *scope* of a negation operator \neg in the formula $\neg\psi$ as the set of all occurrences of propositional symbols in ψ . An occurrence of p in a formula ψ is *positive* if it appears in the scope of an even number of negation operators in ψ , otherwise it is a *negative* occurrence.

DEFINITION 7.1. [Arieli and Denecker 2003] Let ψ be a formula in Σ . Denote by $\overline{\psi}$ the formula in Σ^\pm , obtained from ψ by substituting every positive occurrence in ψ of an atomic formula p by p^+ , and replacing every negative occurrence in ψ of an atomic formula p by $\neg p^-$. Given a theory \mathcal{T} , the set $\{\overline{\psi} \mid \psi \in \mathcal{T}\}$ is denoted by $\overline{\mathcal{T}}$.

EXAMPLE 7.2. Consider again the formula $\psi = \neg(p \vee \neg q) \vee \neg q$ of Example 3.3. The first occurrence of q in ψ is positive, and the second occurrence of q as well as the (single) occurrence of p in ψ are negative. Thus, the signed formula that is obtained from ψ is $\overline{\psi} = \neg(\neg p^- \vee \neg q^+) \vee \neg\neg q^-$. Note that $\overline{\psi}$ is logically equivalent to $\tau_1(\psi)$ (see Example 3.3). As the following proposition shows, this equivalence is not accidental.

PROPOSITION 7.3. *If $\nu^4(\psi) = x$ and ν^2 is the two-valued valuation that is induced by ν^4 , then $\nu^2(\overline{\psi}) = 1$ iff $\nu^2(\tau_1(\psi)) = 1$ (iff $x \geq_k t$).*

PROOF. Let $\nu^4(\psi) = (\nu_1(\psi), \nu_2(\psi))$ and let ν^2 be the two-valued valuation that is induced by ν^4 . In [Arieli and Denecker 2003, Proposition 2.4] it is shown that $\nu^2(\overline{\psi}) = \nu_1(\psi)$. The claim now follows from item (2) of Proposition 3.4. \square

COROLLARY 7.4. *Let \mathcal{T} be a finite theory in the propositional fragment of L . Then:*

- (1) *The two-valued models of $\overline{\mathcal{T}}$ are the same as the two-valued models of $\tau_1(\mathcal{T})$.*
- (2) *$\mathcal{T} \models^4 \psi$ iff $\overline{\mathcal{T}} \models^2 \overline{\psi}$ (iff $\tau_1(\mathcal{T}) \models^2 \tau_1(\psi)$).*
- (3) *$\mathcal{T} \models_{(\Upsilon, \Delta)}^4 \psi$ iff $\overline{\mathcal{T}}, \text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T}) \models^2 \overline{\psi}$ (iff $\tau_1(\mathcal{T}), \text{Min}(\leq_{\Upsilon}^{\Delta}, \mathcal{T}) \models^2 \tau_1(\psi)$).*

PROOF. Part (1) follows from Proposition 7.3, part (2) follows from part (1) and Theorem 4.1, and part (3) follows from part (1) and Theorem 5.11. \square

It follows, then, that our embedding in four-valued semantics captures the reductions to classical entailments, considered in [Arieli and Denecker 2003], but in a more general context. In particular, our approach extends that of Arieli and Denecker [2003] in the sense that the language L considered here (unlike the \leq_k -monotonic language used in [Arieli and Denecker 2003]) is functionally complete for \mathcal{FOUR} .¹⁸ Also, we simulate a wider range of preferential logics and provide a natural approach to reasoning with graded abnormality.

¹⁷This fragment is the language considered in [Arieli and Denecker 2003].

¹⁸See [Arieli and Avron 1998] for a proof of the functional completeness of L .

8. CONCLUSION

Motivated by the need to find *practical* and *effective* methods for paraconsistent reasoning, signed formulae serve here as a representative platform that can be used by a variety of off-the-shelf QBF-solvers for drawing plausible conclusions from possibly inconsistent and/or incomplete theories.

Benchmark studies on the performance of QBF solves in comparison to that of neighboring tools (such as the answer set programming solvers `dlv` [Eiter et al. 1998] and `smodels` [Niemelä and Simons 1996], and the SAT-solver `zChaff` [Moskewicz et al. 2001]) have shown that in some cases the performance of the QBF-solvers is below that of the other solvers (see, e.g., [Arieli et al. 2004] for a comparative study in the context of database repair, and [Egly et al. 2000] for some benchmark results for abduction problems and graph problems). Still, the performance of many QBF solvers is continuously improving as the underlying techniques become more sophisticated. This includes adaptations of the Davis–Putnam–Logemann–Loveland (DPLL) algorithm for propositional logic [Davis et al. 1962; Davis and Putnam 1960] to quantified propositional logic [Cadoli et al. 1998; Cadoli et al. 2002], extensions of resolution-based reasoning [Kleine-Büning et al. 1995], employment of lookback techniques [Letz 2002], and incorporation of new solving paradigms that are based on symbolic reasoning strategies [Benedetti 2005]. Different methods for converting formulae to prenex CNF and specifying them in Dimacs or Rintanen format (which is the conventional form that QBF solvers accept) also help to reduce the evaluation time of different solvers (see [Egly et al. 2004]). Moreover, QBF solvers provide an easy way of obtaining a prototypical implementation for many different problems, and this kind of implementations is particularly suitable for our purpose, since quantified Boolean formulae offer a natural way of expressing minimization (which is, in many cases, a major consideration in preferential reasoning). We believe, therefore, that QBF solvers are becoming powerful mechanisms that provide robust ways of computing preferential entailments in general, and paraconsistent reasoning in particular.

ACKNOWLEDGMENTS

This paper benefited from the reviewers' constructive and helpful comments.

REFERENCES

- ARIELI, O. 2003. Reasoning with different levels of uncertainty. *Applied Non-Classical Logics* 13, 3–4, 317–343.
- ARIELI, O. 2004. Paraconsistent preferential reasoning by signed quantified Boolean formulae. In *Proc. 16th European Conference on Artificial Intelligence (ECAI'04)*, R. López de Mántaras and L. Saitta, Eds. IOS Press, 773–777.
- ARIELI, O. AND AVRON, A. 1996. Reasoning with logical bilattices. *Journal of Logic, Language, and Information* 5, 1, 25–63.
- ARIELI, O. AND AVRON, A. 1998. The value of the four values. *Artificial Intelligence* 102, 1, 97–141.
- ARIELI, O. AND AVRON, A. 2000. Bilattices and paraconsistency. In *Frontiers of Paraconsistent Logic*, D. Batens, C. Mortensen, G. Priest, and J. Van Bendegem, Eds. Studies in Logic and Computation, vol. 8. Research Studies Press, 11–27.
- ARIELI, O. AND DENECKER, M. 2002. Modeling paraconsistent reasoning by classical logic. In *ACM Transactions on Computational Logic*, Vol. V, No. N, August 2005.

- Proc. 2nd Symp. on Foundations of Information and Knowledge Systems (FoIKS'02)*, T. Eiter and K. D. Schewe, Eds. Number 2284 in LNCS. Springer, 1–14.
- ARIELI, O. AND DENECKER, M. 2003. Reducing preferential paraconsistent reasoning to classical entailment. *Logic and Computation* 13, 4, 557–580.
- ARIELI, O., DENECKER, M., VAN NUFFELEN, B., AND BRUYNOOGHE, M. 2004. Database repair by signed formulae. In *Proc. 3rd Symp. on Foundations of Information and Knowledge Systems (FoIKS'02)*, D. Seipel and J. M. Turull Torres, Eds. Number 2942 in LNCS. Springer, 14–30.
- AVRON, A. AND LEV, I. 2001. A formula-preferential base for paraconsistent and plausible non-monotonic reasoning. In *Proc. KRR-4, IJCAI'01 Workshop on Inconsistency in Data and Knowledge*. 60–70.
- BATENS, D. 1989. Dynamic dialectical logics. In *Paraconsistent Logic. Essay on the Inconsistent*, G. Priest, R. Routely, and J. Norman, Eds. Philosophia Verlag, 187–217.
- BATENS, D. 1998. Inconsistency-adaptive logics. In *Logic at Work*, E. Orłowska, Ed. Physica Verlag, 445–472.
- BATENS, D. 2000. A survey on inconsistency-adaptive logics. In *Frontiers of Paraconsistent Logic*, D. Batens, C. Mortensen, G. Priest, and J. Van Bendegem, Eds. Studies in Logic and Computation, vol. 8. Research Studies Press, 69–73.
- BELNAP, N. D. 1977a. How a computer should think. In *Contemporary Aspects of Philosophy*, G. Ryle, Ed. Oriel Press, 30–56.
- BELNAP, N. D. 1977b. A useful four-valued logic. In *Modern Uses of Multiple-Valued Logics*, J. M. Dunn and G. Epstein, Eds. Reidel Publishing Company, 7–37.
- BENEDETTI, M. 2005. Evaluating QBFs via symbolic skolemization. In *Proc. 11th Int. Conference on Logic Programming, Artificial Intelligence and Reasoning (LPAR'04)*, F. Baader and A. Voronkov, Eds. Number 3452 in LNAI. Springer, 285–300.
- BESNARD, P. AND SCHAUB, T. 1996. A simple signed system for paraconsistent reasoning. In *Proc. 5th European Conference on Logics in Artificial Intelligence (JELIA'96)*, J. Alferes, L. M. Pereira, and E. Orłowska, Eds. Number 1126 in LNAI. Springer, 404–416.
- BESNARD, P. AND SCHAUB, T. 1997. Circumscribing inconsistency. In *Proc. 15th Int. Joint Conference on Artificial Intelligence (IJCAI'97)*. Morgan Kaufmann Publishers, 150–155.
- BESNARD, P. AND SCHAUB, T. 1998. Signed systems for paraconsistent reasoning. *Automated Reasoning* 20, 1, 191–213.
- BESNARD, P., SCHAUB, T., TOMPITS, H., AND WOLTRAN, S. 2002. Paraconsistent reasoning via quantified Boolean formulas I: Axiomatizing signed systems. In *Proc. 8th European Conference on Logics in Artificial Intelligence (JELIA'02)*, S. Flesca, S. Greco, N. Leone, and G. Ianni, Eds. Number 2424 in LNAI. Springer, 320–331.
- BESNARD, P., SCHAUB, T., TOMPITS, H., AND WOLTRAN, S. 2003. Paraconsistent reasoning via quantified Boolean formulas II: Circumscribing inconsistent theories. In *Proc. 7th European Conference on Symbolic and Quantitative Approaches to Reasoning with Uncertainty (EC-SQARU'03)*, T. D. Nielsen and N. L. Zhang, Eds. Number 2711 in LNAI. Springer, 528–539.
- BESNARD, P., SCHAUB, T., TOMPITS, H., AND WOLTRAN, S. 2004. Representing paraconsistent reasoning via quantified propositional logic. In *Inconsistency Tolerance*, L. Bertossi, A. Hunter, and T. Schaub, Eds. Number 3300 in LNCS. Springer, 84–118.
- CADOLI, M., GIOVANARDI, A., AND SCHAERF, M. 1998. An algorithm to evaluate quantified Boolean formulae. In *Proc. 15th National Conference on Artificial Intelligence (AAAI'98)*. AAAI Press, 262–267.
- CADOLI, M. AND SCHAERF, M. 1996. On the complexity of entailment in propositional multivalued logics. *Annals of Mathematics and Artificial Intelligence* 18, 29–50.
- CADOLI, M., SCHAERF, M., GIOVANARDI, A., AND GIOVANARDI, M. 2002. An algorithm to evaluate quantified Boolean formulae and its experimental evaluation. *Automated Reasoning* 28, 2, 101–142.
- CARNIELLI, W. A. AND MARCOS, J. 2002. A taxonomy of C-systems. In *Paraconsistency: The Logical Way to the Inconsistent*, W. A. Carnielli, M. E. Coniglio, and I. D'Ottaviano, Eds. Number 228 in Lecture Notes in Pure and Applied Mathematics. Marcel Dekker, 1–94.

- COSTA-MARQUIS, S. AND MARQUIS, P. 2002. Complexity results for paraconsistent inference relations. In *Proc Int. Conf. on Principles of Knowledge Representation and Reasoning (KR'02)*. Morgan Kaufmann Publishers, 61–72.
- COSTA-MARQUIS, S. AND MARQUIS, P. 2004. On the complexity of paraconsistent inference relations. In *Inconsistency Tolerance*, L. Bertossi, A. Hunter, and T. Schaub, Eds. Number 3300 in LNCS. Springer, 151–190.
- DA COSTA, N. C. A. 1974. On the theory of inconsistent formal systems. *Notre Dame Journal of Formal Logic* 15, 497–510.
- DAVIS, M., LOGEMANN, G., AND LOVELAND, D. 1962. A machine program for theorem proving. *Communications of the ACM* 7, 5, 394–397.
- DAVIS, M. AND PUTNAM, H. 1960. A computing procedure for quantification theory. *Journal of the ACM* 7, 3, 201–215.
- EGLY, U., EITER, T., TOMPITS, H., AND WOLTRAN, S. 2000. Solving advanced reasoning tasks using quantified Boolean formulas. In *Proc. 16th National Conference on Artificial Intelligence (AAAI'00)*. AAAI Press, 417–422.
- EGLY, U., SEIDL, M., TOMPITS, H., WOLTRAN, S., AND ZOLDA, M. 2004. Comparing different prenexing strategies for quantified Boolean formulas. In *Proc. 6th Int. Conference on Theory and Applications of Satisfiability (SAT'03)*, E. Guinchiglia and A. Tacchella, Eds. Number 2919 in LNCS. Springer, 214–228.
- EITER, T., LEONE, N., MATEIS, C., PFEIFER, G., AND SCARCELLO, F. 1998. The KR system dlv: Progress report, comparisons and benchmarks. In *Proc. 6th Int. Conf. on Principles of Knowledge Representation and Reasoning (KR'98)*. Morgan Kaufmann Publishers, 406–417.
- FITTING, M. 1990. Kleene's logic, generalized. *Logic and Computation* 1, 797–810.
- GINSBERG, M. L. 1988. Multi-valued logics: A uniform approach to reasoning in AI. *Computer Intelligence* 4, 256–316.
- GIUNCHIGLIA, E., NARIZZANO, M., AND TACCHELLA, A. 2001. QuBE: A system for deciding quantified Boolean formulas satisfiability. In *Proc. 1st Int. Conf. on Automated Reasoning (IJCAR'01)*, R. Gor, A. Leitsch, and T. Nipkow, Eds. Number 2083 in LNCS. Springer, 364–369.
- KIFER, M. AND LOZINSKII, E. L. 1992. A logic for reasoning with inconsistency. *Automated Reasoning* 9, 2, 179–215.
- KLEENE, S. C. 1950. *Introduction to Metamathematics*. Van Nostrand.
- KLEINE-BÜNING, H., KARPINSKI, M., AND FÖGEL, A. 1995. Resolution for quantified Boolean formulas. *Information and Computation* 177, 1, 12–18.
- KONIECZNY, S. AND MARQUIS, P. 2002. Three-valued logics for inconsistency handling. In *Proc. 8th European Conference on Logics in Artificial Intelligence (JELIA'02)*. Number 2424 in LNAI. Springer, 332–344.
- KRAUS, S., LEHMANN, D., AND MAGIDOR, M. 1990. Nonmonotonic reasoning, preferential models and cumulative logics. *Artificial Intelligence* 44, 1–2, 167–207.
- LE BERRE, D., SIMON, L., AND TACCHELLA, A. 2004. Challenges in the QBF arena: the SAT'03 evaluation of QBF solvers. In *Proc. 6th Int. Conference on Theory and Applications of Satisfiability (SAT'03)*, E. Guinchiglia and A. Tacchella, Eds. Number 2919 in LNCS. Springer, 468–485.
- LEHMANN, D. AND MAGIDOR, M. 1992. What does a conditional knowledge base entail? *Artificial Intelligence* 55, 1–60.
- LETZ, R. 2002. Lemma and model caching in decision procedures for quantified Boolean formulas. In *Proc. of the Int. Conference on Automated Reasoning with Analytic Tableaux and Related Methods (TABLEAUX'02)*, U. Egly and G. C. Fermüller, Eds. Number 2381 in LNAI. Springer, 160–175.
- LIFSCHITZ, V. 1985. Computing circumscription. In *Proc. 9th Int. Joint Conference on Artificial Intelligence (IJCAI'85)*. Morgan Kaufmann Publishers, 121–127.
- MAKINSON, D. 1994. General patterns in nonmonotonic reasoning. In *Handbook of Logic in Artificial Intelligence and Logic Programming*, D. Gabbay, C. Hogger, and J. Robinson, Eds. Vol. 3. Oxford Science Publications, 35–110.
- ACM Transactions on Computational Logic, Vol. V, No. N, August 2005.

- MCCARTHY, J. 1980. Circumscription – A form of non monotonic reasoning. *Artificial Intelligence* 13, 1–2, 27–39.
- MOSKEWICZ, M., MADIGAN, C., ZHAO, Y., ZHANG, L., AND MALIK, S. 2001. Chaff: Engineering an efficient SAT solver. In *Proc. 39th Design Automation Conference (DAC'01)*. ACM, 530–535.
- NIEMELÄ, I. AND SIMONS, P. 1996. Efficient implementation of the well-founded and stable model semantics. In *Proc. of the Joint Int. Conference and Symposium on Logic Programming (JICSLP'96)*. MIT Press, 289–303.
- PRIEST, G. 1989. Reasoning about truth. *Artificial Intelligence* 39, 231–244.
- PRIEST, G. 1991. Minimally inconsistent LP. *Studia Logica* 50, 321–331.
- RINTANEN, J. T. 1999. Improvements of the evaluation of quantified Boolean formulae. In *Proc. 16th Int. Joint Conference on Artificial Intelligence (IJCAI'99)*. Morgan Kaufmann Publishers, 1192–1197.
- SCHLECHTA, K. 2000. Unrestricted preferential structures. *Logic and Computation* 10, 4, 573–581.
- SHOHAM, Y. 1987. A semantical approach to nonmonotonic logics. In *Readings in Non-Monotonic Reasoning*, M. L. Ginsberg, Ed. 227–249.
- SHOHAM, Y. 1988. *Reasoning About Change: Time and Causation from the Standpoint of Artificial Intelligence*. MIT Press.
- WRATHALL, C. 1976. Complete sets and the polynomial-time hierarchy. *Theoretical Computer Science* 3, 1, 23–33.

Received September 2004; revised March 2005; accepted August 2005